

Accepted Manuscript


Activation of the STING-IRF3 pathway promotes hepatocyte inflammation, apoptosis and induces metabolic disorders in nonalcoholic fatty liver disease

J.T. Qiao, C. Cui, L. Qing, L.S. Wang, T.Y. He, F. Yan, F.Q. Liu, Y.H. Shen, X.G. Hou, L. Chen

PII: S0026-0495(17)30262-7  
DOI: doi: [10.1016/j.metabol.2017.09.010](https://doi.org/10.1016/j.metabol.2017.09.010)  
Reference: YMETA 53650

To appear in: *Metabolism*

Received date: 6 July 2017  
Accepted date: 19 September 2017



Please cite this article as: Qiao JT, Cui C, Qing L, Wang LS, He TY, Yan F, Liu FQ, Shen YH, Hou XG, Chen L, Activation of the STING-IRF3 pathway promotes hepatocyte inflammation, apoptosis and induces metabolic disorders in nonalcoholic fatty liver disease, *Metabolism* (2017), doi: [10.1016/j.metabol.2017.09.010](https://doi.org/10.1016/j.metabol.2017.09.010)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Activation of the STING-IRF3 pathway promotes hepatocyte inflammation, apoptosis and induces metabolic disorders in nonalcoholic fatty liver disease**

**J.T. Qiao<sup>a,b</sup>, C. Cui<sup>a,b</sup>, L. Qing<sup>a,b</sup>, L. S. Wang<sup>a,b</sup>, T.Y. He<sup>a,b</sup>, F. Yan<sup>a,b</sup>, F.Q. Liu<sup>a,b</sup>, Y. H. Shen<sup>c,d</sup>, X.G. Hou<sup>a,b\*</sup>, and L. Chen<sup>a,b\*</sup>**

<sup>a</sup> Department of Endocrine and Metabolism, Qilu Hospital of Shandong University, Jinan, Shandong, China;

<sup>b</sup> Institute of Endocrinology and Metabolism, Shandong University, Jinan, Shandong, China;

<sup>c</sup> Division of Cardiothoracic Surgery, Michael E. DeBakey Department of Surgery, Baylor College of Medicine, Houston, TX, United States of America;

<sup>d</sup> Texas Heart Institute, Houston, TX, United States of America.

Jing Ting Qiao <sup>a,b</sup>	286860339@qq.com;
Chen Cui <sup>a,b</sup>	1359883392@qq.com;
Li Qing <sup>a,b</sup>	774171315@qq.com;
Ling Shu Wang <sup>a,b</sup>	lingshu_wang@163.com;
Tian Yi He <sup>a,b</sup>	380060813@qq.com;
Fei Yan <sup>a,b</sup>	yfddbest@163.com;
Fu Qiang Liu <sup>a,b</sup>	54669716@qq.com;
Ying H. Shen <sup>c,d</sup>	hyshen@bcm.edu;

\*Corresponding authors: X.G. Hou, houxinguo@medmail.com.cn, and L. Chen, chenli3@medmail.com.cn.

Department of Endocrine and Metabolism, Qilu Hospital of Shandong University, Shandong University,

107 Wenhua Xi Road,

Jinan, 250012, People's Republic of China

E-mail address: chenli3@medmail.com.cn

Download English Version:

<https://daneshyari.com/en/article/8633061>

Download Persian Version:

<https://daneshyari.com/article/8633061>

[Daneshyari.com](https://daneshyari.com)