

Accepted Manuscript

Systematically analyses of the common dysregulated networks to understand the common pathologies between T2D and atherosclerosis

Zijing Lin, Fan Yang, Lijie Sun, Jie Gao, Yan Cao, Hui Qiu, Xiaorong Zhan



PII: S0378-1119(18)30460-8
DOI: doi:[10.1016/j.gene.2018.04.078](https://doi.org/10.1016/j.gene.2018.04.078)
Reference: GENE 42802
To appear in: *Gene*
Received date: 19 February 2018
Revised date: 25 April 2018
Accepted date: 25 April 2018

Please cite this article as: Zijing Lin, Fan Yang, Lijie Sun, Jie Gao, Yan Cao, Hui Qiu, Xiaorong Zhan , Systematically analyses of the common dysregulated networks to understand the common pathologies between T2D and atherosclerosis. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Gene*(2017), doi:[10.1016/j.gene.2018.04.078](https://doi.org/10.1016/j.gene.2018.04.078)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Systematically analyses of the common dysregulated networks to understand the common pathologies between T2D and atherosclerosis

Zijing LIN^{1*}, Fan YANG^{2*}, Lijie SUN³, Jie GAO³, Yan CAO³, Hui QIU¹, Xiaorong ZHAN^{1#}

1 Department of endocrinology and metabolism, the first affiliated hospital of Harbin Medical University, Harbin, Heilongjiang Province, China.

2 Department of emergency internal, the first affiliated hospital of Harbin Medical University, Harbin, Heilongjiang Province, China.

3 Harbin Medical University, Harbin, Heilongjiang Province, China.

*These authors contribute equally to this paper. E-mail addresses of each author are listed below: Zijing LIN, 286325174@qq.com; Fan YANG, 109yangfan6@163.com; Lijie SUN, 1224536700@qq.com; Jie GAO, 873263343@qq.com; Yan CAO, 1184553222@qq.com; Hui QIU, 602721502@qq.com; Xiaorong ZHAN, doctorzhanxiaorong@126.com.

corresponding author, Xiaorong Zhan,

Email: doctorzhanxiaorong@126.com;

Tel: +86-0451-85555928;

Fax: +86-0451-85555928;

Address: 23rd Youzheng Street, Nangang District, Harbin, Heilongjiang Province, P.R. China, 150086.

Declarations of interest: none.

Abstract

Background: Diabetic macroangiopathy, atherosclerosis secondary to diabetes mellitus, causes cerebro-cardiovascular diseases (CVD), which increase the risk of death in patients with DM and significantly reduce their quality of life. Therefore, mechanisms underlying the common shared pathologies between type 2 diabetes

Download English Version:

<https://daneshyari.com/en/article/8644682>

Download Persian Version:

<https://daneshyari.com/article/8644682>

[Daneshyari.com](https://daneshyari.com)