

Accepted Manuscript

Metagenome-based diversity analyses suggest a strong locality signal for bacterial communities associated with oyster aquaculture farms in Ofunato Bay

Atsushi Kobiyama, Kazuho Ikeo, Md. Shaheed Reza, Jonaira Rashid, Yuichiro Yamada, Yuri Ikeda, Daisuke Ikeda, Nanami Mizusawa, Shigeru Sato, Takehiko Ogata, Mitsuru Jimbo, Toshiaki Kudo, Shinnosuke Kaga, Shiho Watanabe, Kimiaki Naiki, Yoshimasa Kaga, Katsuhiko Mineta, Vladimir Bajic, Takashi Gojobori, Shugo Watabe



PII: S0378-1119(18)30455-4
DOI: doi:[10.1016/j.gene.2018.04.073](https://doi.org/10.1016/j.gene.2018.04.073)
Reference: GENE 42797

To appear in: *Gene*

Received date: 25 April 2018

Accepted date: 25 April 2018

Please cite this article as: Atsushi Kobiyama, Kazuho Ikeo, Md. Shaheed Reza, Jonaira Rashid, Yuichiro Yamada, Yuri Ikeda, Daisuke Ikeda, Nanami Mizusawa, Shigeru Sato, Takehiko Ogata, Mitsuru Jimbo, Toshiaki Kudo, Shinnosuke Kaga, Shiho Watanabe, Kimiaki Naiki, Yoshimasa Kaga, Katsuhiko Mineta, Vladimir Bajic, Takashi Gojobori, Shugo Watabe, Metagenome-based diversity analyses suggest a strong locality signal for bacterial communities associated with oyster aquaculture farms in Ofunato Bay. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Gene*(2017), doi:[10.1016/j.gene.2018.04.073](https://doi.org/10.1016/j.gene.2018.04.073)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Metagenome-based diversity analyses suggest a strong locality signal for bacterial communities associated with oyster aquaculture farms in Ofunato Bay

Atsushi Kobiyama^a, Kazuho Ikeo^a, Md. Shaheed Reza^{a,1}, Jonaira Rashid^a, Yuichiro Yamada^a, Yuri Ikeda^a, Daisuke Ikeda^a, Nanami Mizusawa^a, Shigeru Sato^a, Takehiko Ogata^a, Mitsuru Jimbo^a, Toshiaki Kudo^a, Shinnosuke Kaga^{b,2}, Shiho Watanabe^b, Kimiaki Naiki^b, Yoshimasa Kaga^b, Katsuhiko Mineta^c, Vladimir Bajic^c, Takashi Gojobori^{c*} and Shugo Watabe^{a,*}

^a*Kitasato University School of Marine Biosciences, Minami-ku, Sagami-hara, Kanagawa 252-0373, Japan;*

^b*Iwate Fisheries Technology Center, Kamaishi, Iwate 026-0001, Japan;*

^c*King Abdullah University of Science and Technology (KAUST), Computational Bioscience Research Center (CBRC), Thuwal 23955-6900, Kingdom of Saudi Arabia*

*Corresponding authors:

Professor Shugo Watabe, Department of Marine Biochemistry, Kitasato University School of Marine Biosciences, Minami-ku, Sagami-hara, Kanagawa 252-0373, Japan.

E-mail: swatabe@kitasato-u.ac.jp

Professor Takashi Gojobori, Computational Bioscience Research Center and Biological and Environmental Science and Engineering, King Abdullah University of Science and Technology, Thuwal 23955-6900, Kingdom of Saudi Arabia

Email: takashi.gojobori@kaust.edu.sa

Present addresses: ¹Department of Fisheries Technology, Bangladesh Agricultural University, Mymensingh-2202, Bangladesh; ²Ofunato Fisheries Promotion Center, Iwate Prefectural Government, Ofunato, Iwate 022-8502, Japan.

Running title: Metagenomic bacterial communities in oyster farms of Ofunato Bay

Download English Version:

<https://daneshyari.com/en/article/8644924>

Download Persian Version:

<https://daneshyari.com/article/8644924>

[Daneshyari.com](https://daneshyari.com)