


Accepted Manuscript

The functional polymorphisms of ARID5B and IKZF1 are associated with acute myeloid leukemia risk in a Han Chinese population

Songyu Cao, Jianshui Yang, Xifeng Qian, Guangfu Jin, Hongxia Ma



PII: S0378-1119(17)31126-5
DOI: <https://doi.org/10.1016/j.gene.2017.12.059>
Reference: GENE 42445

To appear in: *Gene*

Received date: 12 October 2017
Revised date: 28 December 2017
Accepted date: 28 December 2017

Please cite this article as: Songyu Cao, Jianshui Yang, Xifeng Qian, Guangfu Jin, Hongxia Ma , The functional polymorphisms of ARID5B and IKZF1 are associated with acute myeloid leukemia risk in a Han Chinese population. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Gene*(2017), <https://doi.org/10.1016/j.gene.2017.12.059>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The functional polymorphisms of *ARID5B* and *IKZF1* are associated with acute myeloid leukemia risk in a Han Chinese population

Songyu Cao^{1,2 †}, Jianshui Yang^{1,2†}, Xifeng Qian³, Guangfu Jin^{1,2}, Hongxia Ma^{1,2*}

¹Department of Epidemiology, School of Public Health, Nanjing Medical University, Nanjing 211166, China.

²Jiangsu Key Lab of Cancer Biomarkers, Prevention and Treatment, Collaborative Innovation Center For Cancer Personalized Medicine, Nanjing Medical University, Nanjing 211166, China.

³Department of Hematology, Wuxi Peoples's Hospital Affiliated to Nanjing Medical University, No. 299 Qingyang Road, Wuxi 214194, China.

[†]These authors contributed equally to this work.

***Correspondence to:** Hongxia Ma, Department of Epidemiology, Jiangsu Key Lab of Cancer Biomarkers, Prevention and Treatment, Collaborative Innovation Center for Cancer Personalized Medicine, School of Public Health, Nanjing Medical University, Nanjing 211166, China. Tel/Fax: 86-25-86868437, Email: hongxiam@njmu.edu.cn.

Abstract: Since two genome-wide association studies identified the same susceptible region at *ARID5B* and *IKZF1* for acute leukemia in Caucasians in the same time, several research groups have confirmed the similar results in different ethnicities and

Download English Version:

<https://daneshyari.com/en/article/8645598>

Download Persian Version:

<https://daneshyari.com/article/8645598>

[Daneshyari.com](https://daneshyari.com)