

Identification of key microRNAs associated with diffuse large B-cell lymphoma by analyzing serum microRNA expressions

Yuanyuan Meng, Lina Quan, Aichun Liu

PII: S0378-1119(17)30964-2
DOI: doi:10.1016/j.gene.2017.11.022
Reference: GENE 42330

To appear in: *Gene*

Received date: 4 March 2017
Revised date: 16 October 2017
Accepted date: 7 November 2017

Please cite this article as: Yuanyuan Meng, Lina Quan, Aichun Liu , Identification of key microRNAs associated with diffuse large B-cell lymphoma by analyzing serum microRNA expressions. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Gene(2017), doi:10.1016/j.gene.2017.11.022

Identification of key microRNAs associated with diffuse large B-cell lymphoma by analyzing serum microRNA expressions

Running title: MicroRNA expression profile analysis of DLBCL

Yuanyuan Meng[1], MM; Lina Quan[2], MM; Aichun Liu[2*], MD

[1]Department of Gynecology Tumor, Harbin Medical University Cancer Hospital, No. 150 Haping Road, Harbin, Heilongjiang 150080, China

[2]Department of Hematology, Harbin Medical University Cancer Hospital, No. 150 Haping Road, Harbin, Heilongjiang 150080, China

***Corresponding author: Aichun Liu**

Tel and fax: +86-

E-mail: LLAAchun8@163.com

Department of Hematology, Harbin Medical University Cancer Hospital, No. 150 Haping Road, Harbin, Heilongjiang 150080, China

Highlights:

- Three miRNAs were dysregulated in patients with DLBCL compared with controls.
- hsa-miR-34a-5p was involved in the p53 signaling pathway.