

Accepted Manuscript

Detection and molecular characterization of two rare G8P[14] and G3P[3] rotavirus strains collected from children with acute gastroenteritis in Japan

Shoko Okitsu, Toshiyuki Hikita, Aksara Thongprachum, Pattara Khamrin, Sayaka Takanashi, Satoshi Hayakawa, Niwat Maneekarn, Hiroshi Ushijima



PII: S1567-1348(18)30188-6
DOI: doi:[10.1016/j.meegid.2018.04.011](https://doi.org/10.1016/j.meegid.2018.04.011)
Reference: MEEGID 3477

To appear in: *Infection, Genetics and Evolution*

Received date: 11 December 2017

Revised date: 1 April 2018

Accepted date: 7 April 2018

Please cite this article as: Shoko Okitsu, Toshiyuki Hikita, Aksara Thongprachum, Pattara Khamrin, Sayaka Takanashi, Satoshi Hayakawa, Niwat Maneekarn, Hiroshi Ushijima, Detection and molecular characterization of two rare G8P[14] and G3P[3] rotavirus strains collected from children with acute gastroenteritis in Japan. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Meegid(2017), doi:[10.1016/j.meegid.2018.04.011](https://doi.org/10.1016/j.meegid.2018.04.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Detection and molecular characterization of two rare G8P[14] and
G3P[3] rotavirus strains collected from children with acute
gastroenteritis in Japan**

Shoko Okitsu^{1,2}, Toshiyuki Hikita³, Aksara Thongprachum⁴, Pattara Khamrin^{5,6},
Sayaka Takanashi², Satoshi Hayakawa¹, Niwat Maneekarn^{5,6} and Hiroshi Ushijima^{1,2}

¹Division of Microbiology, Department of Pathology and Microbiology, Nihon
University School of Medicine, Tokyo, Japan

²Department of Developmental Medical Sciences, School of International Health,
Graduate School of Medicine, The University of Tokyo, Tokyo, Japan

³Hikita Pediatric Clinic, Gunma, Japan

⁴Faculty of Public Health, Chiang Mai University, Thailand

⁵Department of Microbiology, Faculty of Medicine, Chiang Mai University, Chiang Mai,
Thailand

⁶Center of Excellence in Emerging and Re-emerging Diarrheal Viruses, Chiang Mai
University, Chiang Mai, Thailand

*Correspondence: Shoko Okitsu

Division of Microbiology, Department of Pathology and Microbiology, Nihon
University School of Medicine, 30-1, Oyaguchi-kamicho, Itabashi, Tokyo 173-8610,
Japan

Tel: +81-3-3972-8111 ext: 2263; Fax: +81-3-3972-9560

E-mail: shoko-tky@umin.ac.jp

Download English Version:

<https://daneshyari.com/en/article/8646734>

Download Persian Version:

<https://daneshyari.com/article/8646734>

[Daneshyari.com](https://daneshyari.com)