

Accepted Manuscript

The Frequency of Dysphagia and its Impact on Adults with Multiple Sclerosis Based on Patient-Reported Questionnaires

Dalal Alali M.A. Speech Language Pathology ,
Kirrie Ballard Professor & ARC Future Fellow ,
Hans Bogaardt Lecturer Speech Pathology

PII: S2211-0348(18)30270-0
DOI: <https://doi.org/10.1016/j.msard.2018.08.003>
Reference: MSARD 925



To appear in: *Multiple Sclerosis and Related Disorders*

Received date: 18 May 2018
Revised date: 29 July 2018
Accepted date: 1 August 2018

Please cite this article as: Dalal Alali M.A. Speech Language Pathology , Kirrie Ballard Professor & ARC Future Fellow , Hans Bogaardt Lecturer Speech Pathology , The Frequency of Dysphagia and its Impact on Adults with Multiple Sclerosis Based on Patient-Reported Questionnaires, *Multiple Sclerosis and Related Disorders* (2018), doi: <https://doi.org/10.1016/j.msard.2018.08.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- 38% of adults with MS have swallowing problems.
- Swallowing problems in MS causes various physical including coughing, throat clearing, choking on food and liquid.
- Swallowing problems in MS result in social consequences including reduced eating desire, increased eating duration and mealtime anxiety.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8647158>

Download Persian Version:

<https://daneshyari.com/article/8647158>

[Daneshyari.com](https://daneshyari.com)