

Accepted Manuscript

Cardiovascular conditions in persons with multiple sclerosis,
neuromyelitis optica and transverse myelitis

Paola Saroufim , Sophia A. Zweig , Devon S. Conway ,
Farren B.S. Briggs

PII: S2211-0348(18)30220-7
DOI: [10.1016/j.msard.2018.07.011](https://doi.org/10.1016/j.msard.2018.07.011)
Reference: MSARD 886



To appear in: *Multiple Sclerosis and Related Disorders*

Received date: 1 May 2018
Revised date: 2 July 2018
Accepted date: 6 July 2018

Please cite this article as: Paola Saroufim , Sophia A. Zweig , Devon S. Conway , Farren B.S. Briggs , Cardiovascular conditions in persons with multiple sclerosis, neuromyelitis optica and transverse myelitis, *Multiple Sclerosis and Related Disorders* (2018), doi: [10.1016/j.msard.2018.07.011](https://doi.org/10.1016/j.msard.2018.07.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Cardiovascular conditions in MS, NMOSD, and TM are as common as in unaffected individuals.
- Individuals with MS had a higher burden of hypertension than control subjects.
- Age of cardiovascular condition onset did not differ between demyelinating cases and control subjects.

Download English Version:

<https://daneshyari.com/en/article/8647166>

Download Persian Version:

<https://daneshyari.com/article/8647166>

[Daneshyari.com](https://daneshyari.com)