Accepted Manuscript


The disease burden of Multiple Sclerosis from the individual and population perspective: which symptoms matter most?

Laura Barin , Anke Salmen , Giulio Disanto , Haris Babačić , Pasquale Calabrese , Andrew Chan , Christian P. Kamm , Jürg Kesselring , Jens Kuhle , Claudio Gobbi , Caroline Pot , Milo A. Puhan , Viktor von Wyl

 PII:
 S2211-0348(18)30222-0

 DOI:
 10.1016/j.msard.2018.07.013

 Reference:
 MSARD 888



Received date:2 May 2018Revised date:22 June 2018Accepted date:8 July 2018

Please cite this article as: Laura Barin, Anke Salmen, Giulio Disanto, Haris Babačić, Pasquale Calabrese, Andrew Chan, Christian P. Kamm, Jürg Kesselring, Jens Kuhle, Claudio Gobbi, Caroline Pot, Milo A. Puhan, Viktor von Wyl, The disease burden of Multiple Sclerosis from the individual and population perspective: which symptoms matter most?, *Multiple Sclerosis and Related Disorders* (2018), doi: 10.1016/j.msard.2018.07.013

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Highlights:

- Depending on the disease course, quality of life is affected by different symptoms,
- For RRMS, gait and balance problems, and fatigue affect most quality of life,
- For progressive MS, spasticity and paralysis affect most quality of life,
- When measuring with a visual analogue scale, different symptoms gain importance.

ACERTER

Download English Version:

https://daneshyari.com/en/article/8647196

Download Persian Version:

https://daneshyari.com/article/8647196

Daneshyari.com