Accepted Manuscript

Radiologically isolated syndrome in children: Current knowledge and future directions

Colin Wilbur, E. Ann Yeh

 PII:
 S2211-0348(18)30187-1

 DOI:
 10.1016/j.msard.2018.06.010

 Reference:
 MSARD 865

To appear in: Multiple Sclerosis and Related Disorders

Received date:12 April 2018Revised date:24 May 2018Accepted date:16 June 2018

Please cite this article as: Colin Wilbur, E. Ann Yeh, Radiologically isolated syndrome in children: Current knowledge and future directions, *Multiple Sclerosis and Related Disorders* (2018), doi: 10.1016/j.msard.2018.06.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- Incidental MRI lesions consistent with demyelination occur, but are rare in children.
- A high rate of later clinical events may occur in children with RIS.
- Risk of clinical events is higher in children classified with RIS who have spinal cord lesions or oligoclonal bands in the CSF.
- The role of disease modifying therapy in RIS remains to be studied.

Download English Version:

https://daneshyari.com/en/article/8647255

Download Persian Version:

https://daneshyari.com/article/8647255

Daneshyari.com