## **Accepted Manuscript**

Epidemiology of Multiple Sclerosis in Northeast of Iran during 1985-2016; Conversion of a Rare Disease to a Middle-high Prevalence Disease

Vahid Kazemi Moghaddam , Mohammad Sarmadi , Maryam Tatari , Fereshteh Najafi , Amir Esmaeili , Mostafa Hadei

PII: S2211-0348(18)30217-7 DOI: 10.1016/j.msard.2018.07.008

Reference: MSARD 883

To appear in: Multiple Sclerosis and Related Disorders

Received date: 18 April 2018
Revised date: 25 June 2018
Accepted date: 5 July 2018



Please cite this article as: Vahid Kazemi Moghaddam, Mohammad Sarmadi, Maryam Tatari, Fereshteh Najafi, Amir Esmaeili, Mostafa Hadei, Epidemiology of Multiple Sclerosis in Northeast of Iran during 1985-2016; Conversion of a Rare Disease to a Middle-high Prevalence Disease, *Multiple Sclerosis and Related Disorders* (2018), doi: 10.1016/j.msard.2018.07.008

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

#### ACCEPTED MANUSCRIPT

### Highlights

- In this work, epidemiological terms (prevalence and incidence) of multiple sclerosis were survived in northeast of Iran during a 35 year period.
- It found that, prevalence of multiple sclerosis was significantly increased in the study period.
- Data showed that prevalence of MS had increased to a middle-high level in the study area.



#### Download English Version:

# https://daneshyari.com/en/article/8647351

Download Persian Version:

https://daneshyari.com/article/8647351

<u>Daneshyari.com</u>