

Accepted Manuscript

White matter hyperintensities in myotonic dystrophy type 2: not always another expression of the disease.

M Karatzikou , C Bakirtzis , J Nikolaidis , D Parisi , N Grigoriadis

PII: S2211-0348(18)30197-4
DOI: [10.1016/j.msard.2018.06.020](https://doi.org/10.1016/j.msard.2018.06.020)
Reference: MSARD 875

To appear in: *Multiple Sclerosis and Related Disorders*

Received date: 20 February 2018
Revised date: 24 June 2018
Accepted date: 28 June 2018

Please cite this article as: M Karatzikou , C Bakirtzis , J Nikolaidis , D Parisi , N Grigoriadis , White matter hyperintensities in myotonic dystrophy type 2: not always another expression of the disease., *Multiple Sclerosis and Related Disorders* (2018), doi: [10.1016/j.msard.2018.06.020](https://doi.org/10.1016/j.msard.2018.06.020)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- A rare case of concomitant multiple sclerosis in patient with myotonic dystrophy 2.
- White matter abnormalities a common feature of myotonic dystrophy 2.
- Differential diagnosis of CNS involvement in DM2 is challenging.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8647355>

Download Persian Version:

<https://daneshyari.com/article/8647355>

[Daneshyari.com](https://daneshyari.com)