Accepted Manuscript

Teeth loss after teriflunomide treatment: casual or causal? A short case series

Veria Vacchiano, Nicola Frattaruolo, Luca Mancinelli, Matteo Foschi, Antonio Carotenuto, Cinzia Scandellari, Maurizio Piattelli, Vincenzo Brescia Morra, Alessandra Lugaresi

PII: S2211-0348(18)30196-2 DOI: 10.1016/j.msard.2018.06.018

Reference: MSARD 873

To appear in: Multiple Sclerosis and Related Disorders

Received date: 28 December 2017
Revised date: 18 June 2018
Accepted date: 28 June 2018



Please cite this article as: Veria Vacchiano, Nicola Frattaruolo, Luca Mancinelli, Matteo Foschi, Antonio Carotenuto, Cinzia Scandellari, Maurizio Piattelli, Vincenzo Brescia Morra, Alessandra Lugaresi, Teeth loss after teriflunomide treatment: casual or causal? A short case series, *Multiple Sclerosis and Related Disorders* (2018), doi: 10.1016/j.msard.2018.06.018

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights:

- Teriflunomide, a safe and effective drug for RRMS, is a mild immunosuppressant
- The loss of periodontal host–microbe homeostasis causes caries and periodontitis
- Poor oral hygiene might contribute to dental pathology, mainly in advanced MS cases
- Whether teriflunomide might favour teeth loss in predisposed individuals is uncler
- Dental care prior to and during teriflunomide therapy is recommended



Download English Version:

https://daneshyari.com/en/article/8647356

Download Persian Version:

https://daneshyari.com/article/8647356

<u>Daneshyari.com</u>