


Accepted Manuscript

Neurotoxic lesions of the pedunculopontine tegmental nucleus impair the elaboration of postictal antinociception

Rithiele Cristina de Oliveira, Ricardo de Oliveira, Luiz Luciano Falconi-Sobrinho, Audrey Franceschi Biagioni, Rafael Carvalho Almada, Tayllon dos Anjos-Garcia, Guilherme Bazaglia-de-Sousa, Asmat Ullah Khan, Norberto Cysne Coimbra



PII: S0031-9384(18)30234-8
DOI: doi:[10.1016/j.physbeh.2018.05.011](https://doi.org/10.1016/j.physbeh.2018.05.011)
Reference: PHB 12198
To appear in: *Physiology & Behavior*
Received date: 9 February 2018
Revised date: 13 April 2018
Accepted date: 11 May 2018

Please cite this article as: Rithiele Cristina de Oliveira, Ricardo de Oliveira, Luiz Luciano Falconi-Sobrinho, Audrey Franceschi Biagioni, Rafael Carvalho Almada, Tayllon dos Anjos-Garcia, Guilherme Bazaglia-de-Sousa, Asmat Ullah Khan, Norberto Cysne Coimbra , Neurotoxic lesions of the pedunculopontine tegmental nucleus impair the elaboration of postictal antinociception. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Phb(2017), doi:[10.1016/j.physbeh.2018.05.011](https://doi.org/10.1016/j.physbeh.2018.05.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Neurotoxic lesions of the pedunculopontine tegmental nucleus impair the elaboration of postictal antinociception

Rithiele Cristina de Oliveira¹, Ricardo de Oliveira^{1,2,6}, Luiz Luciano Falconi-Sobrinho^{1,6}, Audrey Franceschi Biagioni^{1,3}, Rafael Carvalho Almada^{1,6}, Tayllon dos Anjos-Garcia¹, Guilherme Bazaglia-de-Sousa¹, Asmat Ullah Khan^{1,4}, Norberto Cysne Coimbra^{1,5,6*}

¹ Laboratory of Neuroanatomy and Neuropsychobiology, Department of Pharmacology, Ribeirão Preto Medical School of the University of São Paulo (FMRP-USP), Av. Bandeirantes, 3900, Ribeirão Preto, 14049-900, São Paulo, Brazil.

² Mato Grosso Federal University Medical School (UFMT), Av Alexandre Ferronato, 1200, Reserva 35, Setor Industrial, 78550-000, Sinop, Mato Grosso, Brazil.

³ Scuola Superiore di Studi Avanzati di Trieste (SISSA), Via Bonomea, 265, 34136, Trieste TS, Italy.

⁴ Department of Eastern Medicine and Surgery, School of Medical and Health Sciences of the University of Poonch Rawalakot, Hajira Road, Shamsabad, Rawalakot 12350, Azad Jammu and Kashmir, Pakistan.

⁵ Multiuser Centre of Neuroelectrophysiology, Department of Anatomy and Surgery, Ribeirão Preto Medical School of the University of São Paulo (FMRP-USP), Av. Bandeirantes, 3900, Ribeirão Preto, 14049-900, São Paulo, Brazil.

⁶ Behavioural Neurosciences Institute (INeC), Avenida do Café, 2450, Ribeirão Preto, 14220-030, São Paulo, Brazil.

*** Corresponding author:** Prof. Dr. Norberto Cysne Coimbra, Laboratório de Neuroanatomia & Neuropsicobiologia, Departamento de Farmacologia, Faculdade de Medicina de Ribeirão Preto da Universidade de São Paulo (FMRP-USP), Av. dos Bandeirantes, 3900, Ribeirão Preto (SP), 14049-900, Brasil. e-mail: nccoimbr@fmrp.usp.br; telephone: +55 16 3315-3116; fac-simile: +55 16 3315-3349

Download English Version:

<https://daneshyari.com/en/article/8650255>

Download Persian Version:

<https://daneshyari.com/article/8650255>

[Daneshyari.com](https://daneshyari.com)