

Accepted Manuscript

Title: Impact of Chronic Kidney Disease on Outcomes after Percutaneous Coronary Intervention for Chronic Total Occlusions (From a Japanese Multicentre Registry)

Author: Toru Naganuma, Kenichi Tsujita, Satoru Mitomo, Hisaaki Ishiguro, Sandeep Basavarajaiah, Katsumasa Sato, Tsuyoshi Kobayashi, Junei Obata, Suguru Nagamatsu, Kenshi Yamanaga, Naohiro Komura, Kenji Sakamoto, Eiichiro Yamamoto, Yasuhiro Izumiya, Sunao Kojima, Koichi Kaikita, Hisao Ogawa, Sunao Nakamura

PII: S0002-9149(18)30268-6
DOI: <https://doi.org/10.1016/j.amjcard.2018.02.032>
Reference: AJC 23162

To appear in: *The American Journal of Cardiology*

Received date: 9-2-2017
Accepted date: 26-2-2018

Please cite this article as: Toru Naganuma, Kenichi Tsujita, Satoru Mitomo, Hisaaki Ishiguro, Sandeep Basavarajaiah, Katsumasa Sato, Tsuyoshi Kobayashi, Junei Obata, Suguru Nagamatsu, Kenshi Yamanaga, Naohiro Komura, Kenji Sakamoto, Eiichiro Yamamoto, Yasuhiro Izumiya, Sunao Kojima, Koichi Kaikita, Hisao Ogawa, Sunao Nakamura, Impact of Chronic Kidney Disease on Outcomes after Percutaneous Coronary Intervention for Chronic Total Occlusions (From a Japanese Multicentre Registry), *The American Journal of Cardiology* (2018), <https://doi.org/10.1016/j.amjcard.2018.02.032>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Impact of Chronic Kidney Disease on Outcomes after Percutaneous Coronary Intervention for Chronic Total Occlusions (From a Japanese Multicentre Registry)

Toru Naganuma, MD^{1,2}, Kenichi Tsujita, MD, PhD², Satoru Mitomo, MD¹, Hisaaki Ishiguro, MD¹, Sandeep Basavarajaiah MD, MRCP^{1,3}, Katsumasa Sato, MD⁴, Tsuyoshi Kobayashi, MD⁵, Junei Obata, MD, PhD⁵, Suguru Nagamatsu, MD², Kenshi Yamanaga, MD, PhD², Naohiro Komura, MD, PhD², Kenji Sakamoto, MD, PhD², Eiichiro Yamamoto, MD, PhD², Yasuhiro Izumiya, MD, PhD², Sunao Kojima, MD, PhD², Koichi Kaikita, MD, PhD², Hisao Ogawa, MD, PhD⁶, Sunao Nakamura, MD, PhD^{1,2}

From the ¹Department of Cardiovascular Medicine, New Tokyo Hospital, *Matsudo*, Japan, ²Department of Cardiovascular Medicine, Graduate School of Medical Sciences, Kumamoto University, *Kumamoto*, Japan, ³Heart of England NHS-Trust, Birmingham, United Kingdom, ⁴Division of Cardiology, Fukuyama Cardiovascular Hospital, *Fukuyama*, Japan, ⁵Department of Internal Medicine II, University of Yamanashi, *Chuo City*, Japan, and the ⁶Department of Cardiovascular Medicine, National Cerebral and Cardiovascular Centre Hospital, *Suita*, Japan.

Address for correspondence: Toru Naganuma, MD, FACC, FESC

New Tokyo Hospital

1271 Wanagaya, Matsudo, Chiba, JAPAN 270-2232

Tel: +81-47-366-7000, Fax: +81-47-392-8718, E mail: torunaganuma@gmail.com

Total Word Count: 3468

Download English Version:

<https://daneshyari.com/en/article/8651220>

Download Persian Version:

<https://daneshyari.com/article/8651220>

[Daneshyari.com](https://daneshyari.com)