

Association between MIC gene polymorphisms and susceptibility of systemic lupus erythematosus

Running title: Association between MIC polymorphisms and SLE

Ping Yu ¹, M.D., Ph.D., Quan Zhu ¹, B.S., Chunjing Chen ¹, M.S., Xiaoling Fu ², M.S., Yu Li ³, M.D., Limin Liu ⁴, M.D., Qizhi Luo ¹, M.S., Fuyan Wang ¹, M.D., Ph.D., and Yong Wang ^{1*}, Ph.D.

¹ Department of Immunology, School of Basic Medical Science, Xiangya School of Medicine, Central South University, Changsha, Hunan 410013, China. PY's email: yuping1953@sina.com; QZ's email: 243790933@qq.com; CC's email: 5725928@qq.com; QL's email: 213160@csu.edu.cn; FW's email: wfy4010@163.com; YW's email: wangyong@csu.edu.cn

² Department of Blood Transfusion, Hainan General Hospital, Haikou, Hainan 570311, China. XF's email: w12345@live.com

³ Department of Basic Medicine and Clinical Laboratory, Yiyang Medical College, Yiyang, Hunan 413000, China. YL's email: cheer7@outlook.com

⁴ Liuzhou Worker's Hospital, the Fourth Affiliated Hospital of Guangxi Medical University, Liuzhou, Guangxi 545005, China. LL's email: 17131361@qq.com

Download English Version:

<https://daneshyari.com/en/article/8651894>

Download Persian Version:

<https://daneshyari.com/article/8651894>

[Daneshyari.com](https://daneshyari.com)