

Accepted Manuscript

Ldlr^{-/-} and *ApoE*^{-/-} mice better mimic the human metabolite signature of increased carotid intima media thickness compared to other animal models of cardiovascular disease

Jean Sébastien Saulnier-Blache, Rory Wilson, Kristaps Klavins, Delyth Graham, Ioana Alesutan, Gabi Kastenmüller, Rui Wang-Sattler, Jerzy Adamski, Michael Roden, Wolfgang Rathmann, Jochen Seissler, Christine Meisinger, Wolfgang Koenig, Joachim Thiery, Karsten Suhre, Annette Peters, Makuto Kuro-O, Florian Lang, Guido Dallmann, Christian Delles, Jakob Voelkl, Melanie Waldenberger, Jean-Loup Bascands, Julie Klein, Joost P. Schanstra

PII: S0021-9150(18)31221-8

DOI: [10.1016/j.atherosclerosis.2018.07.024](https://doi.org/10.1016/j.atherosclerosis.2018.07.024)

Reference: ATH 15631

To appear in: *Atherosclerosis*


Received Date: 28 March 2018

Revised Date: 21 June 2018

Accepted Date: 18 July 2018

Please cite this article as: Saulnier-Blache JeanSé, Wilson R, Klavins K, Graham D, Alesutan I, Kastenmüller G, Wang-Sattler R, Adamski J, Roden M, Rathmann W, Seissler J, Meisinger C, Koenig W, Thiery J, Suhre K, Peters A, Kuro-O M, Lang F, Dallmann G, Delles C, Voelkl J, Waldenberger M, Bascands J-L, Klein J, Schanstra JP, *Ldlr*^{-/-} and *ApoE*^{-/-} mice better mimic the human metabolite signature of increased carotid intima media thickness compared to other animal models of cardiovascular disease, *Atherosclerosis* (2018), doi: [10.1016/j.atherosclerosis.2018.07.024](https://doi.org/10.1016/j.atherosclerosis.2018.07.024).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



***Ldlr*^{-/-} and *ApoE*^{-/-} mice better mimic the human metabolite signature of increased carotid intima media thickness compared to other animal models of cardiovascular disease.**

Jean Sébastien Saulnier-Blache^{1,2,#}, Rory Wilson^{3,4*}, Kristaps Klavins⁵, Delyth Graham⁶, Ioana Alesutan⁷, Gabi Kastenmüller^{8,9}, Rui Wang-Sattler^{3,4}, Jerzy Adamski¹⁰, Michael Roden^{11,12,9}, Wolfgang Rathmann^{13,9}, Jochen Seissler^{14,15}, Christine Meisinger^{4,16}, Wolfgang Koenig^{17,18}, Joachim Thiery¹⁹, Karsten Suhre²⁰, Annette Peters^{3,4,18,21}, Makoto Kuro-O²², Florian Lang²³, Guido Dallmann²⁴, Christian Delles⁶, Jakob Voelkl⁷, Melanie Waldenberger^{3,4,18,*}, Jean-Loup Bascands²⁵, Julie Klein^{1,2}, Joost P. Schanstra^{1,2}.

¹ Institute of Cardiovascular and Metabolic Disease, Institut National de la Santé et de la Recherche Médicale (INSERM), Toulouse, France.

² Université Toulouse III Paul-Sabatier, Toulouse, France.

³ Research Unit of Molecular Epidemiology, Helmholtz Zentrum München, German Research Center for Environmental Health, D-85764, Neuherberg, Germany.

⁴ Institute of Epidemiology, Helmholtz Zentrum München, German Research Center for Environmental Health, D-85764, Neuherberg, Germany.

⁵ CeMM Research Center for Molecular Medicine of the Austrian Academy of Sciences, Vienna, Austria.

⁶ Institute of Cardiovascular and Medical Sciences, University of Glasgow, Glasgow, UK.

⁷ Medizinische Klinik mit Schwerpunkt Kardiologie, Campus Virchow-Klinikum, Charité-Universitätsmedizin Berlin, Berlin, Germany.

Download English Version:

<https://daneshyari.com/en/article/8656631>

Download Persian Version:

<https://daneshyari.com/article/8656631>

[Daneshyari.com](https://daneshyari.com)