

# Accepted Manuscript

Modified creatinine index and risk for cardiovascular events and all-cause mortality in patients undergoing hemodialysis: The Q-Cohort study

Hokuto Arase, Shunsuke Yamada, Ryusuke Yotsueda, Masatomo Taniguchi, Hisako Yoshida, Masanori Tokumoto, Toshiaki Nakano, Kazuhiko Tsuruya, Takanari Kitazono

PII: S0021-9150(18)30308-3

DOI: [10.1016/j.atherosclerosis.2018.06.001](https://doi.org/10.1016/j.atherosclerosis.2018.06.001)

Reference: ATH 15549

To appear in: *Atherosclerosis*


Received Date: 2 March 2018

Revised Date: 29 May 2018

Accepted Date: 1 June 2018

Please cite this article as: Arase H, Yamada S, Yotsueda R, Taniguchi M, Yoshida H, Tokumoto M, Nakano T, Tsuruya K, Kitazono T, Modified creatinine index and risk for cardiovascular events and all-cause mortality in patients undergoing hemodialysis: The Q-Cohort study, *Atherosclerosis* (2018), doi: [10.1016/j.atherosclerosis.2018.06.001](https://doi.org/10.1016/j.atherosclerosis.2018.06.001).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Modified creatinine index and risk for cardiovascular events and all-cause mortality in patients undergoing hemodialysis: The Q-Cohort Study**

Hokuto Arase<sup>a</sup>, Shunsuke Yamada<sup>a,\*</sup>, Ryusuke Yotsueda<sup>a</sup>, Masatomo Taniguchi<sup>b</sup>,  
Hisako Yoshida<sup>c</sup>, Masanori Tokumoto<sup>d</sup>, Toshiaki Nakano<sup>a</sup>, Kazuhiko Tsuruya<sup>a,e</sup>,  
and Takanari Kitazono<sup>a</sup>

<sup>a</sup> Department of Medicine and Clinical Science, Graduate School of Medical Sciences,  
Kyushu University, 3-1-1 Maidashi, Higashi-ku, Fukuoka 812-8582, Japan

<sup>b</sup> Fukuoka Renal Clinic, 4-6-20 Watanabe-dori, Chuo-ku, Fukuoka 810-0004, Japan

<sup>c</sup> Saga University Hospital, Clinical Research Center, 5-1-1 Nabeshima, Saga 849-8501,  
Japan

<sup>d</sup> Department of Internal Medicine, Fukuoka Dental College, 2-15-1 Tamura, Sawara-ku,  
Fukuoka 814-0193, Japan

<sup>e</sup> Department of Integrated Therapy for Chronic Kidney Disease, Graduate School of  
Medical Sciences, Kyushu University, 3-1-1 Maidashi, Higashi-ku, Fukuoka 812-8582, Japan

**\*Corresponding author**

Shunsuke Yamada

Department of Medicine and Clinical Science, Graduate School of Medical Sciences, Kyushu  
University, 3-1-1 Maidashi, Higashi-ku, Fukuoka 812-8582, Japan.

E-mail: ana65641@nifty.com

**Keywords:** cardiovascular events, creatinine index, hemodialysis, mortality, skeletal muscle  
mass, stroke

Download English Version:

<https://daneshyari.com/en/article/8656686>

Download Persian Version:

<https://daneshyari.com/article/8656686>

[Daneshyari.com](https://daneshyari.com)