

# Accepted Manuscript

Comparison of neutrophil-to-lymphocyte ratio and mean platelet volume in the prediction of adverse events after primary percutaneous coronary intervention in patients with ST-elevation myocardial infarction

Guilherme Pinheiro Machado, Gustavo Neves de Araújo, Christian Kunde Carpes, Mateus Lech, Stefani Mariani, Felipe Homem Valle, Luiz Carlos Corsetti Bergoli, Sandro Cadaval Gonçalves, Rodrigo V. Wainstein, Marco V. Wainstein

PII: S0021-9150(18)30265-X

DOI: [10.1016/j.atherosclerosis.2018.05.022](https://doi.org/10.1016/j.atherosclerosis.2018.05.022)

Reference: ATH 15517


To appear in: *Atherosclerosis*

Received Date: 9 May 2018

Accepted Date: 16 May 2018

Please cite this article as: Machado GP, de Araújo GN, Carpes CK, Lech M, Mariani S, Valle FH, Bergoli LCC, Gonçalves SC, Wainstein RV, Wainstein MV, Comparison of neutrophil-to-lymphocyte ratio and mean platelet volume in the prediction of adverse events after primary percutaneous coronary intervention in patients with ST-elevation myocardial infarction, *Atherosclerosis* (2018), doi: 10.1016/j.atherosclerosis.2018.05.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Comparison of neutrophil-to-lymphocyte ratio and mean platelet volume in the prediction of adverse events after primary percutaneous coronary intervention in patients with ST-elevation myocardial infarction**

Guilherme Pinheiro Machado<sup>1</sup>, Gustavo Neves de Araújo<sup>1,2</sup>, Christian Kunde Carpes<sup>1</sup>, Mateus Lech<sup>1</sup>, Stefani Mariani<sup>1</sup>, Felipe Homem Valle<sup>2</sup>, Luiz Carlos Corsetti Bergoli<sup>2</sup>, Sandro Cadaval Gonçalves<sup>2</sup>, Rodrigo V. Wainstein<sup>2</sup>, Marco V. Wainstein<sup>1,2</sup>

- 1- Faculdade de Medicina, Universidade Federal do Rio Grande do Sul, Porto Alegre, Brazil.
- 2- Serviço de Cardiologia, Hospital de Clínicas de Porto Alegre, Porto Alegre, Brazil.

**KEYWORDS:** Myocardial infarction; percutaneous coronary intervention; mortality, mean platelet volume, neutrophil-to-lymphocyte ratio

**CORRESPONDING AUTHOR**

Guilherme Pinheiro Machado

Hospital de Clínicas de Porto Alegre - Ramiro Barcelos 2350, 90035-003.

Porto Alegre, RS, Brazil.

E-mail: [gpmachado89@gmail.com](mailto:gpmachado89@gmail.com)

Download English Version:

<https://daneshyari.com/en/article/8656830>

Download Persian Version:

<https://daneshyari.com/article/8656830>

[Daneshyari.com](https://daneshyari.com)