Accepted Manuscript



Kidney function, bone-mineral metabolism markers, and future risk of peripheral artery disease

Chao Yang, Lucia Kwak, Shoshana H. Ballew, Pranav S. Garimella, Bernard Jaar, Aaron R. Folsom, Gerardo Heiss, Elizabeth Selvin, Pamela L. Lutsey, Josef Coresh, Kunihiro Matsushita

PII: S0021-9150(17)31291-1

DOI: 10.1016/j.atherosclerosis.2017.09.020

Reference: ATH 15208

To appear in: *Atherosclerosis*

Received Date: 11 May 2017

Revised Date: 25 August 2017

Accepted Date: 19 September 2017

Please cite this article as: Yang C, Kwak L, Ballew SH, Garimella PS, Jaar B, Folsom AR, Heiss G, Selvin E, Lutsey PL, Coresh J, Matsushita K, Kidney function, bone-mineral metabolism markers, and future risk of peripheral artery disease, *Atherosclerosis* (2017), doi: 10.1016/j.atherosclerosis.2017.09.020.

Kidney function, bone-mineral metabolism markers, and future risk of peripheral artery disease

Chao Yang[1], Lucia Kwak[1], Shoshana H. Ballew[1], Pranav S. Garimella[2], Bernard Jaar[3], Aaron R. Folsom[4], Gerardo Heiss[5], Elizabeth Selvin[1], Pamela L. Lutsey[4], Josef Coresh[1], Kunihiro Matsushita[1]

[1] Johns Hopkins University Bloomberg School of Public Health, Baltimore, MD, USA; [2]University of California at San Diego, San Diego, CA, USA; [3]Johns Hopkins University School of Medicine, Baltimore, MD, USA; [4]University of Minnesota School of Public Health, Minneapolis, MN, USA; [5]University of North Carolina at Chapel Hill Gillings School of Global Public Health, Chapel Hill, NC, USA

Address correspondence to: Welch Center for Prevention, Epidemiology and Clinical Research, Johns Hopkins Bloomberg School of Public Health, 2024 E. Monument Street Suite 2-600 Baltimore, Maryland 21287.
E-mail address: kmatsus5@jhu.edu (K. Matsushita)