


## Accepted Manuscript

Rare device landing zone ruptures after transcatheter aortic valve implantation (TAVI)

Jan Willem van Rijswijk, Adriaan O. Kraaijeveld, Michiel Voskuil, Pieter R. Stella, Aryan Vink



PII: S1054-8807(17)30348-4

DOI: <https://doi.org/10.1016/j.carpath.2018.01.006>

Reference: CVP 7040

To appear in:

Received date: 8 December 2017

Revised date: 14 January 2018

Accepted date: 16 January 2018

Please cite this article as: Jan Willem van Rijswijk, Adriaan O. Kraaijeveld, Michiel Voskuil, Pieter R. Stella, Aryan Vink, Rare device landing zone ruptures after transcatheter aortic valve implantation (TAVI). The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Cvp(2018), <https://doi.org/10.1016/j.carpath.2018.01.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Rare device landing zone ruptures after transcatheter aortic valve implantation (TAVI)

Jan Willem van Rijswijk<sup>a, b</sup>, MSc; Adriaan O. Kraaijeveld<sup>c</sup>, MD, PhD; Michiel Voskuil<sup>c</sup>, MD PhD; Pieter R. Stella<sup>c</sup>, MD, PhD; Aryan Vink<sup>a</sup>, MD, PhD

Institutions:

<sup>a</sup>Department of Pathology, University Medical Center Utrecht, Utrecht University, the Netherlands

<sup>b</sup>Department of Cardiothoracic Surgery, Academic Medical Center Amsterdam, the Netherlands

<sup>c</sup>Department of Cardiology, University Medical Center Utrecht, Utrecht University, the Netherlands

Corresponding author:

Aryan Vink, MD, PhD

Department of Pathology

University Medical Center Utrecht

Postal address: Room H04-312, PO Box 85500, 3508 GA, Utrecht, the Netherlands

Email: A.Vink@umcutrecht.nl

Word count: 517 (632 incl. abstract)

Key Words: Aortic valve replacement · Transcatheter aortic valve implantation (TAVI) · Aortic annulus rupture · Calcification left ventricle outflow tract · Aortic valve calcification

Download English Version:

<https://daneshyari.com/en/article/8657688>

Download Persian Version:

<https://daneshyari.com/article/8657688>

[Daneshyari.com](https://daneshyari.com)