Accepted Manuscript



Lobar emphysema distribution is associated with 5-year radiologic disease progression

Adel Boueiz, Yale Chang, Michael H. Cho, George R. Washko, Raul San José Estépar, Russell P. Bowler, James D. Crapo, Dawn L. DeMeo, Jennifer G. Dy, Edwin K. Silverman, Peter J. Castaldi

PII: S0012-3692(17)32763-0

DOI: 10.1016/j.chest.2017.09.022

Reference: CHEST 1351

To appear in: *CHEST*

Received Date: 3 April 2017

Revised Date: 13 July 2017

Accepted Date: 6 September 2017

Please cite this article as: Boueiz A, Chang Y, Cho MH, Washko GR, San José Estépar R, Bowler RP, Crapo JD, DeMeo DL, Dy JG, Silverman EK, Castaldi PJ, for the COPDGene investigators, Lobar emphysema distribution is associated with 5-year radiologic disease progression, *CHEST* (2017), doi: 10.1016/j.chest.2017.09.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Abstract Word Count: 249

Manuscript Word Count: 3,108

Lobar emphysema distribution is associated with 5-year radiologic disease progression

Adel Boueiz[1,2], Yale Chang[3], Michael H. Cho[1,2], George R. Washko[2], Raul San José Estépar[4], Russell P. Bowler[5], James D. Crapo[5], Dawn L. DeMeo[1,2], Jennifer G. Dy[3], Edwin K. Silverman[1,2], Peter J. Castaldi[1,6], for the COPDGene investigators.

[1]Channing Division of Network Medicine, Brigham and Women's Hospital, Harvard Medical School, Boston, MA; [2]Pulmonary and Critical Care Division, Department of Medicine, Brigham and Women's Hospital, Harvard Medical School, Boston, MA; [3]Department of Electrical and Computer Engineering, Northeastern University, Boston, MA; [4]Surgical Planning Laboratory, Laboratory of Mathematics in Imaging, Department of Radiology, Brigham and Women's Hospital, Harvard Medical School, Boston, MA; [5]Division of Pulmonary Medicine, Department of Medicine, National Jewish Health, Denver, CO; [6]Division of General Medicine and Primary Care, Brigham and Women's Hospital, Harvard Medical School, Boston, MA.

Corresponding Author: Peter J. Castaldi, MD, MS, Channing Division of Network Medicine, Brigham and Women's Hospital, 181 Longwood Avenue, Boston, MA, 02115, Email: repjc@channing.harvard.edu

Running Head: Lobar Emphysema Clustering

Keywords: Chronic obstructive pulmonary disease; Emphysema distribution; Machine learning; Clustering; COPD disease progression.

Funding Sources: This work was supported by NHLBI R01HL089897, R01HL089856, R01HL124233, R01HL126596, R01HL113264, P01105339, P01HL114501 and 2T32HL07427-32. The COPDGene study

Download English Version:

https://daneshyari.com/en/article/8658090

Download Persian Version:

https://daneshyari.com/article/8658090

Daneshyari.com