

Accepted Manuscript

High Density Mapping and Ablation of Concealed Low Voltage Activity Within Pulmonary Vein Antra Results in Improved Freedom from Atrial Fibrillation Compared to Pulmonary Vein Isolation Alone

Nathan M. Segerson, MD, FHRS, Brian Lynch, BA, Joshua Mozes, MD, Melinda M. Marks, MD, Daniel K. Noonan, MD, FHRS, David Gordon, RN, Pierre Jais, MD, Marcos Daccarett, MD, MSc, FHRS

PII: S1547-5271(18)30466-1

DOI: [10.1016/j.hrthm.2018.04.035](https://doi.org/10.1016/j.hrthm.2018.04.035)

Reference: HRTM 7579


To appear in: *Heart Rhythm*

Received Date: 20 March 2018

Please cite this article as: Segerson NM, Lynch B, Mozes J, Marks MM, Noonan DK, Gordon D, Jais P, Daccarett M, High Density Mapping and Ablation of Concealed Low Voltage Activity Within Pulmonary Vein Antra Results in Improved Freedom from Atrial Fibrillation Compared to Pulmonary Vein Isolation Alone, *Heart Rhythm* (2018), doi: 10.1016/j.hrthm.2018.04.035.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





Download English Version:

<https://daneshyari.com/en/article/8660103>

Download Persian Version:

<https://daneshyari.com/article/8660103>

[Daneshyari.com](https://daneshyari.com)