## Accepted Manuscript

Relative Timing of Near Field and Far Field Electrograms can Determine Tachyarrhythmia Site of Origin

Jane Caldwell, MB ChB, Lorne Gula, MD, Fariha Sadiq Ali, MD, Rodrigo I. Miranda, MD, Hoshiar Abdollah, MD, Adrian Baranchuk, MD, Kevin Michael, MD, Christopher Simpson, MD, Damian P. Redfearn, MD

PII: S1547-5271(17)31436-4

DOI: 10.1016/j.hrthm.2017.12.015


Reference: HRTHM 7424

To appear in: Heart Rhythm

Received Date: 11 October 2017

Please cite this article as: Caldwell J, Gula L, Ali FS, Miranda RI, Abdollah H, Baranchuk A, Michael K, Simpson C, Redfearn DP, Relative Timing of Near Field and Far Field Electrograms can Determine Tachyarrhythmia Site of Origin, *Heart Rhythm* (2018), doi: 10.1016/j.hrthm.2017.12.015.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



	TED	NAN	TIC	ODIDT
ACCEF	TED	MAN	105	CKIPT

## Relative Timing of Near Field and Far Field Electrograms can Determine Tachyarrhythmia Site of Origin

- 3
- 4 Jane Caldwell MB ChB<sup>+</sup>; Lorne Gula<sup>\*</sup> MD; Fariha Sadiq Ali MD<sup>+</sup>; Rodrigo I. Miranda
- 5 MD†; Hoshiar Abdollah MD†; Adrian Baranchuk MD†; Kevin Michael MD†; Christopher
- 6 Simpson MD<sup>+</sup> and Damian P Redfearn MD<sup>+</sup>
- 7 \* Affiliated to London Health Sciences Centre, London, Ontario, Canada.
- 8 † Affiliated to Kingston Health Sciences Centre, Kingston, Ontario, Canada.
- 9 Running Title: Relative Near and Far Field
- 10 Address for Correspondence
- 11 Damian P Redfearn
- 12 Heart Rhythm Service, Armstrong 3
- 13 Kingston Health Sciences Centre, 76 Stuart Street,
- 14 Kingston, K7L 2V7
- 15 Ontario, Canada
- 16 Key words: intracardiac defibrillator; far field electrogram; near field electrogram;
- 17 ventricular tachycardia; inappropriate shocks
- 18 Word Count: 3488
- 19 There are no conflicts of interest to declare

Download English Version:

https://daneshyari.com/en/article/8660247

Download Persian Version:

https://daneshyari.com/article/8660247

Daneshyari.com