Accepted Manuscript

The phenotype is equally important in promoting variants from benign to pathogenic as well as in demoting variants from pathogenic to benign.

Ahmad S. Amin, MD, PhD, Arthur A.M. Wilde, MD, PhD

PII: \$1547-5271(18)30007-9

DOI: 10.1016/j.hrthm.2018.01.007


Reference: HRTHM 7445

To appear in: Heart Rhythm

Received Date: 28 December 2017

Please cite this article as: Amin AS, Wilde AAM, The phenotype is equally important in promoting variants from benign to pathogenic as well as in demoting variants from pathogenic to benign., *Heart Rhythm* (2018), doi: 10.1016/j.hrthm.2018.01.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Title:

The phenotype is equally important in promoting variants from benign to pathogenic as well as in demoting variants from pathogenic to benign.

Authors:

Ahmad S. Amin, MD, PhD¹, Arthur A.M. Wilde, MD, PhD¹⁻²

Corresponding author:

Arthur A.M. Wilde

Affiliations:

1. Heart Centre, Department of Clinical and Experimental Cardiology, Academic Medical Center, University of Amsterdam, Amsterdam, the Netherlands. 2. Princess Al-Jawhara Al-Brahim Centre of Excellence in Research of Hereditary Disorders, Jeddah, Kingdom of Saudi Arabia.

Address:

Arthur A.M. Wilde: Department of Cardiology, Academic Medical Center, Meibergdreef 9, 1105 AZ, Amsterdam, The Netherlands. E-mail: a.a.wilde@amc.uva.nl.

Conflicts of interest:

None.

Download English Version:

https://daneshyari.com/en/article/8660252

Download Persian Version:

https://daneshyari.com/article/8660252

<u>Daneshyari.com</u>