

Accepted Manuscript

Utility of the ultra-high-resolution 3-dimensional mapping catheter for isolated pulmonary vein reentrant tachycardia

Yuichi Hori, MD, Shiro Nakahara, MD, Reiko Fukuda, MD, Isao Taguchi, MD



PII: S1547-5271(17)31238-9

DOI: [10.1016/j.hrthm.2017.10.024](https://doi.org/10.1016/j.hrthm.2017.10.024)

Reference: HRTM 7357

To appear in: *Heart Rhythm*

Received Date: 20 August 2017

Please cite this article as: Hori Y, Nakahara S, Fukuda R, Taguchi I, Utility of the ultra-high-resolution 3-dimensional mapping catheter for isolated pulmonary vein reentrant tachycardia, *Heart Rhythm* (2017), doi: 10.1016/j.hrthm.2017.10.024.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Utility of the ultra-high-resolution 3-dimensional mapping catheter for isolated pulmonary vein reentrant tachycardia

Yuichi Hori MD, Shiro Nakahara MD, Reiko Fukuda MD, and Isao Taguchi MD.

5 Department of Cardiology, Dokkyo Medical University Koshigaya Hospital, Saitama,
Japan

Correspondence: Shiro Nakahara, MD PhD

Department of Cardiology, Dokkyo Medical University Koshigaya Hospital,
10 2-1-50 Minami Koshigaya, Koshigaya, Saitama, Japan 343-8555

Tel: 81-489-65-1111

E-mail: nshiro@dokkyomed.ac.jp

Conflict of interest: None

Word count; 448

15 Keyword; ablation; atrial fibrillation; pulmonary vein; reentry; 3-Dimensional
electroanatomical mapping.

Download English Version:

<https://daneshyari.com/en/article/8660331>

Download Persian Version:

<https://daneshyari.com/article/8660331>

[Daneshyari.com](https://daneshyari.com)