

Accepted Manuscript

High-density activation mapping during peri-mitral atrial tachycardia demonstrates epicardial connection through the vein of Marshall

Iwanari Kawamura, MD, Satoshi Miyazawa, MD, Seiji Fukamizu, MD, PhD, Rintaro Hojo, MD



PII: S1547-5271(17)31188-8

DOI: [10.1016/j.hrthm.2017.09.040](https://doi.org/10.1016/j.hrthm.2017.09.040)

Reference: HRTM 7329

To appear in: *Heart Rhythm*

Received Date: 9 September 2017

Please cite this article as: Kawamura I, Miyazawa S, Fukamizu S, Hojo R, High-density activation mapping during peri-mitral atrial tachycardia demonstrates epicardial connection through the vein of Marshall, *Heart Rhythm* (2017), doi: 10.1016/j.hrthm.2017.09.040.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

High-density activation mapping during peri-mitral atrial tachycardia demonstrates epicardial connection through the vein of Marshall

Short title: Peri-mitral AT with epicardial connection

Authors: Iwanari Kawamura, MD; Satoshi Miyazawa, MD, Seiji Fukamizu, MD, PhD;

Rintaro Hojo, MD

Department of Cardiology, Tokyo Metropolitan Hiroo Hospital, Tokyo, Japan

Conflict of interest: None

Corresponding author: Iwanari Kawamura, MD

Department of Cardiology, Tokyo Metropolitan Hiroo Hospital,

2 - 34 -10 Ebisu, Shibuya-ku, Tokyo, Japan

Tel: 81+3-3444-1181, Fax: 81+3-3444-3196

E-mail: iwanari_k0829@yahoo.co.jp

Word count: 409

Download English Version:

<https://daneshyari.com/en/article/8660367>

Download Persian Version:

<https://daneshyari.com/article/8660367>

[Daneshyari.com](https://daneshyari.com)