Accepted Manuscript

T-Wave Oversensing During Left Ventricular Pacing Causing Inappropriate Defibrillation

Joshua Payne, MD, MPH, Sandeep Gautam, MD, MPH, Richard Weachter, MD, Greg Flaker, MD

PII: S2214-0271(17)30113-6

DOI: 10.1016/j.hrcr.2017.06.007

Reference: HRCR 391

To appear in: HeartRhythm Case Reports

Received Date: 20 January 2017

Revised Date: 28 May 2017 Accepted Date: 19 June 2017

Please cite this article as: Payne J, Gautam S, Weachter R, Flaker G, T-Wave Oversensing During Left Ventricular Pacing Causing Inappropriate Defibrillation, *HeartRhythm Case Reports* (2017), doi: 10.1016/j.hrcr.2017.06.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1 2	T-Wave Oversensing During Left Ventricular Pacing Causing Inappropriate Defibrillation
3	mappropriate Benefination
4	Short Title: T-Wave oversensing during Left Ventricular Pacing
5 6	Joshua Payne, MD, MPH, Sandeep Gautam, MD, MPH, Richard Weachter, MD, Greg Flaker MD
7	
8 9 10	University of Missouri, Division of Cardiovascular Medicine, One Hospital Drive, CE 306, Columbia, MO 65212
11 12 13 14 15 16 17 18 19 20	Corresponding Author: Greg Flaker, MD University of Missouri Division of Cardiovascular Medicine One Hospital Drive, CE 306 Columbia, MO 65212 Email: FlakerG@health.missuri.edu Phone: 573-882-2296
21	Conflicts of Interest: None
22	Disclosures: None
23	Word Count: 1348
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	

Download English Version:

https://daneshyari.com/en/article/8660597

Download Persian Version:

https://daneshyari.com/article/8660597

<u>Daneshyari.com</u>