


Accepted Manuscript

Impact of iron deficiency on long-term clinical outcomes of hospitalized patients with heart failure

Hiroki Nakano, Toshiyuki Nagai, Varun Sundaram, Michikazu Nakai, Kunihiro Nishimura, Yasuyuki Honda, Satoshi Honda, Naotsugu Iwakami, Yasuo Sugano, Yasuhide Asaumi, Takeshi Aiba, Teruo Noguchi, Kengo Kusano, Hiroyuki Yokoyama, Hisao Ogawa, Satoshi Yasuda, Taishiro Chikamori, Toshihisa Anzai, NaDEF investigators



PII: S0167-5273(17)36425-2
DOI: doi:[10.1016/j.ijcard.2018.03.039](https://doi.org/10.1016/j.ijcard.2018.03.039)
Reference: IJCA 26168

To appear in:

Received date: 17 October 2017
Revised date: 4 February 2018
Accepted date: 9 March 2018

Please cite this article as: Hiroki Nakano, Toshiyuki Nagai, Varun Sundaram, Michikazu Nakai, Kunihiro Nishimura, Yasuyuki Honda, Satoshi Honda, Naotsugu Iwakami, Yasuo Sugano, Yasuhide Asaumi, Takeshi Aiba, Teruo Noguchi, Kengo Kusano, Hiroyuki Yokoyama, Hisao Ogawa, Satoshi Yasuda, Taishiro Chikamori, Toshihisa Anzai, NaDEF investigators, Impact of iron deficiency on long-term clinical outcomes of hospitalized patients with heart failure. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Ijca*(2017), doi:[10.1016/j.ijcard.2018.03.039](https://doi.org/10.1016/j.ijcard.2018.03.039)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Impact of iron deficiency on long-term clinical outcomes of hospitalized patients with heart failure

Hiroki Nakano^a, Toshiyuki Nagai^{a,b,*}, Varun Sundaram^{a,b,c}, Michikazu Nakai^d,
Kunihiro Nishimura^d, Yasuyuki Honda^a, Satoshi Honda^a, Naotsugu Iwakami^a, Yasuo Sugano^a,
Yasuhide Asami^a, Takeshi Aiba^a, Teruo Noguchi^a, Kengo Kusano^a, Hiroyuki Yokoyama^a,
Hisao Ogawa^a, Satoshi Yasuda^a, Taishiro Chikamori^e, and Toshihisa Anzai^{a,f},
on behalf of the NaDEF investigators

^a Department of Cardiovascular Medicine, National Cerebral and Cardiovascular Center, Osaka, Japan

^b National Heart & Lung Institute, Imperial College London, London, United Kingdom

^c Harrington Heart and Vascular Institute, University Hospitals Cleveland Medical Center, Case Western Reserve University, Cleveland, Ohio, USA and Royal Brompton & Harefield Hospitals, London, United Kingdom

^d Preventive Medicine and Epidemiology Informatics, National Cerebral and Cardiovascular Center, Osaka, Japan

^e Department of Cardiology, Tokyo Medical University, Tokyo, Japan

^f Department of Cardiovascular Medicine, Hokkaido University Graduate School of Medicine, Sapporo, Japan

***Corresponding author:**

Toshiyuki Nagai M.D., Ph.D., National Heart & Lung Institute, Imperial College London, London, United Kingdom, Emmanuel Kaye Building, Manresa Road, London, SW3 6LR, United Kingdom, TEL: +44(0)2075948821, E-mail: t.nagai@imperial.ac.uk

Total word count: 3064 words, Total number of tables: 2, Total number of figures: 2

Download English Version:

<https://daneshyari.com/en/article/8662065>

Download Persian Version:

<https://daneshyari.com/article/8662065>

[Daneshyari.com](https://daneshyari.com)