


Accepted Manuscript

The EXPAND study: Efficacy and safety of rivaroxaban in Japanese patients with non-valvular atrial fibrillation

Hiroaki Shimokawa, Takeshi Yamashita, Shinichiro Uchiyama, Takanari Kitazono, Wataru Shimizu, Takanori Ikeda, Masahiro Kamouchi, Koichi Kaikita, Koji Fukuda, Hideki Origasa, Ichiro Sakuma, Keijiro Saku, Yasuo Okumura, Yuichiro Nakamura, Hideo Morimoto, Naoki Matsumoto, Akihito Tsuchida, Junya Ako, Nobuyoshi Sugishita, Shogo Shimizu, Hirotsugu Atarashi, Hiroshi Inoue



PII: S0167-5273(18)30592-8
DOI: <https://doi.org/10.1016/j.ijcard.2018.01.141>
Reference: IJCA 26005

To appear in:

Received date: 25 January 2018
Accepted date: 31 January 2018

Please cite this article as: Hiroaki Shimokawa, Takeshi Yamashita, Shinichiro Uchiyama, Takanari Kitazono, Wataru Shimizu, Takanori Ikeda, Masahiro Kamouchi, Koichi Kaikita, Koji Fukuda, Hideki Origasa, Ichiro Sakuma, Keijiro Saku, Yasuo Okumura, Yuichiro Nakamura, Hideo Morimoto, Naoki Matsumoto, Akihito Tsuchida, Junya Ako, Nobuyoshi Sugishita, Shogo Shimizu, Hirotsugu Atarashi, Hiroshi Inoue, The EXPAND study: Efficacy and safety of rivaroxaban in Japanese patients with non-valvular atrial fibrillation. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ijca(2017), <https://doi.org/10.1016/j.ijcard.2018.01.141>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**The EXPAND Study: Efficacy and safety of rivaroxaban in Japanese patients
with non-valvular atrial fibrillation**

Hiroaki Shimokawa^{a,*}, Takeshi Yamashita^b, Shinichiro Uchiyama^c, Takanari Kitazono^d, Wataru Shimizu^e, Takanori Ikeda^f, Masahiro Kamouchi^g, Koichi Kaikita^h, Koji Fukudaⁱ, Hideki Origasa^j, Ichiro Sakuma^k, Keijiro Saku^l, Yasuo Okumura^m, Yuichiro Nakamuraⁿ, Hideo Morimoto^o, Naoki Matsumoto^p, Akihito Tsuchida^q, Junya Ako^r, Nobuyoshi Sugishita^s, Shogo Shimizu^t, Hirotugu Atarashi^u, Hiroshi Inoue^v

^a *Department of Cardiovascular Medicine, Tohoku University Graduate School of Medicine, Sendai, Miyagi, Japan*

^b *Cardiovascular Institute Hospital, Tokyo, Japan*

^c *International University of Health and Welfare, Director, Center for Brain and Cerebral Vessels, Sanno Hospital and Sanno Medical Center, Tokyo, Japan*

^d *Department of Medicine and Clinical Science, Graduate School of Medical Sciences, Kyushu University, Fukuoka, Fukuoka, Japan*

^e *Department of Cardiovascular Medicine, Graduate School of Medicine, Nippon Medical School, Tokyo, Japan*

^f *Department of Cardiovascular Medicine, Toho University Faculty of Medicine, Tokyo, Japan*

^g *Department of Health Care Administration and Management, Center for Cohort Study, Kyushu University Graduate School of Medical Sciences, Fukuoka, Fukuoka, Japan*

Download English Version:

<https://daneshyari.com/en/article/8662243>

Download Persian Version:

<https://daneshyari.com/article/8662243>

[Daneshyari.com](https://daneshyari.com)