

Accepted Manuscript


Bilateral sphenopalatine ganglion block reduces blood pressure in never treated patients with essential hypertension. A randomized controlled single-blinded study

Helen Triantafyllidi, Chrysa Arvaniti, Antonios Schoinas, Dimitris Benas, Stefanos Vlachos, Leonidas Palaiodimos, George Pavlidis, Ignatios Ikonomidis, Chrysanthi Batistaki, John Lekakis

PII: S0167-5273(17)35400-1
DOI: doi:[10.1016/j.ijcard.2017.10.042](https://doi.org/10.1016/j.ijcard.2017.10.042)
Reference: IJCA 25551

To appear in: *International Journal of Cardiology*

Received date: 3 September 2017
Revised date: 4 October 2017
Accepted date: 11 October 2017



Please cite this article as: Triantafyllidi Helen, Arvaniti Chrysa, Schoinas Antonios, Benas Dimitris, Vlachos Stefanos, Palaiodimos Leonidas, Pavlidis George, Ikonomidis Ignatios, Batistaki Chrysanthi, Lekakis John, Bilateral sphenopalatine ganglion block reduces blood pressure in never treated patients with essential hypertension. A randomized controlled single-blinded study, *International Journal of Cardiology* (2017), doi:[10.1016/j.ijcard.2017.10.042](https://doi.org/10.1016/j.ijcard.2017.10.042)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Bilateral sphenopalatine ganglion block reduces blood pressure in never treated patients with essential hypertension. A randomized controlled single-blinded study.

Helen Triantafyllidi,¹ Chrysa Arvaniti,² Antonios Schoinas,¹ Dimitris Benas,¹ Stefanos Vlachos,¹ Leonidas Palaiodimos,¹ George Pavlidis,¹ Ignatios Ikonomidis,¹ Chrysanthi Batistaki,² John Lekakis¹

2nd Cardiology Department (1) and Pain Unit, 2nd Anaesthesiology Department (2),
Medical School, University of Athens, ATTIKON Hospital, Athens, Greece

Running title: Bilateral sphenopalatine ganglion block in arterial hypertension

Corresponding author

Helen Triantafyllidi, MD

2nd Cardiology Department, Attikon Hospital,

Medical School, University of Athens,

83, Agiou Ioannou Theologou, Holargos

155 61, Athens, Greece

Tel: 011 30 6944268623, Fax: 011 30 210 5832351

e-mail address: seliani@hotmail.com

The authors report no relationships that could be construed as a conflict of interest.

Download English Version:

<https://daneshyari.com/en/article/8662762>

Download Persian Version:

<https://daneshyari.com/article/8662762>

[Daneshyari.com](https://daneshyari.com)