

# Accepted Manuscript

Assessing the validity of oscillometric device for blood pressure measurement in a large population-based epidemiological study

Zuo CHEN, Xin WANG, Zengwu WANG, Linfeng ZHANG, Guang HAO, Ying Dong, Manlu ZHU, Runlin GAO



PII: S1933-1711(17)30330-3

DOI: [10.1016/j.jash.2017.09.004](https://doi.org/10.1016/j.jash.2017.09.004)

Reference: JASH 1074

To appear in: *Journal of the American Society of Hypertension*

Received Date: 15 May 2017

Revised Date: 18 August 2017

Accepted Date: 10 September 2017

Please cite this article as: CHEN Z, WANG X, WANG Z, ZHANG L, HAO G, Dong Y, ZHU M, GAO R, for China Hypertension Survey Group, Assessing the validity of oscillometric device for blood pressure measurement in a large population-based epidemiological study, *Journal of the American Society of Hypertension* (2017), doi: 10.1016/j.jash.2017.09.004.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Title:**

**Assessing the validity of oscillometric device for blood pressure measurement in a large population-based epidemiological study**

**Short title:** Accuracy of HBP-1300 in a large epidemiological study

**Authors:** Zuo CHEN<sup>1</sup>; Xin WANG<sup>1</sup>; Zengwu WANG<sup>1</sup>; Linfeng ZHANG<sup>1</sup>; Guang HAO<sup>2</sup>; Ying Dong<sup>1</sup>; Manlu ZHU<sup>1</sup>; Runlin GAO<sup>3</sup>; for China Hypertension Survey Group.

**Affiliations:** <sup>1</sup>Division of Prevention and Community Health, National Center for Cardiovascular Diseases, Fuwai Hospital, Peking Union Medical College & Chinese Academy of Medical Sciences, Beijing, China; <sup>2</sup>Georgia Prevention Institute, Medical College of Georgia, Augusta University, USA; <sup>3</sup>Fuwai Hospital, Peking Union Medical College & Chinese Academy of Medical Sciences, Beijing 100037, China.

**Corresponding author:**

Zengwu Wang, MD, PhD

Division of Prevention and Community Health,

National Center for Cardiovascular Diseases, Fuwai Hospital, Peking Union Medical College & Chinese Academy of Medical Sciences, Fengcunxili, Yongding Town, Mentougou District, Beijing 102308, China

Tel: +86 10 60866161

Fax: +86 10 60866161

Email: [wangzengwu@foxmail.com](mailto:wangzengwu@foxmail.com)

Download English Version:

<https://daneshyari.com/en/article/8667535>

Download Persian Version:

<https://daneshyari.com/article/8667535>

[Daneshyari.com](https://daneshyari.com)