Accepted Manuscript

Title: End-of-Life Discussions in Patients with Heart Failure

Author: Kathleen A. Young, Margaret M. Redfield, Jacob J. Strand, Shannon

M. Dunlay

PII: S1071-9164(17)31127-2

DOI: http://dx.doi.org/doi: 10.1016/j.cardfail.2017.08.451

Reference: YJCAF 4038

To appear in: Journal of Cardiac Failure

Received date: 10-3-2017 Revised date: 9-8-2017 Accepted date: 16-8-2017



Please cite this article as: Kathleen A. Young, Margaret M. Redfield, Jacob J. Strand, Shannon M. Dunlay, End-of-Life Discussions in Patients with Heart Failure, *Journal of Cardiac Failure* (2017), http://dx.doi.org/doi: 10.1016/j.cardfail.2017.08.451.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

End-of-Life Discussions in Patients with Heart Failure

Kathleen A. Young MD*, Margaret M. Redfield MD[†], Jacob J. Strand MD*, and Shannon M. Dunlay MD

 $\text{MS}^{^{\dagger_{\pm}}}$

From the *Department of Medicine, the [†]Department of Cardiovascular Diseases, and the [‡]Department

of Health Sciences Research, Mayo Clinic, Rochester, MN

Short Title: End-of-Life Discussions in Heart Failure

Corresponding Author and Request for Reprints: Shannon M. Dunlay MD MS, Mayo Clinic, 200 First

Street SW, Rochester, MN 55905; Telephone: (507) 284-8087; Fax: (507)266-7929; E-mail:

dunlay.shannon@mayo.edu

Word Count: 1499

Figures: 1

Tables: 2

HIGHLIGHTS

The vast majority of patients hospitalized with acute decompensated heart failure say they have

never discussed their wishes for end-of-life care with their doctor.

End-of-life discussions were no more common in patients with worse prognosis.

Patients who recall having discussions were more knowledgeable about end-of-life options and

more likely to have completed an advance directive.

1

Download English Version:

https://daneshyari.com/en/article/8667779

Download Persian Version:

https://daneshyari.com/article/8667779

Daneshyari.com