Accepted Manuscript

A QS pattern in leads V1 and V2 is associated with septal scarring independent of scar etiology - A cardiac magnetic resonance imaging study


Rugheed Ghadban, Martin A. Alpert, Mary L. Dohrmann, Haytham Allaham, Joshua E. Payne, Hee Kong Fong, Senthil A. Kumar

PII: S0022-0736(17)30461-2

DOI: doi:10.1016/j.jelectrocard.2018.03.011

Reference: YJELC 52596

To appear in:



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

A QS PATTERN IN LEADS V_1 AND V_2 IS ASSOCIATED WITH SEPTAL SCARRING INDEPENDENT OF SCAR ETIOLOGY- A CARDIAC MAGNETIC RESONANCE IMAGING STUDY

Running Head: Septal MI, ECG, CMR Imaging

Rugheed Ghadban, MD a Martin A. Alpert, MD a Mary L. Dohrmann, MD a Haytham Allaham, MD a Joshua E. Payne, MD a Hee Kong Fong, MD a Senthil A. Kumar, MD a

From the Division of Cardiovascular Medicine University of Missouri School of Medicine (a) 5 Hospital Drive Columbia, MO 65212, USA

Declarations of interest: none

Correspondence:

Rugheed Ghadban, MD Room CE-338 University of Missouri Health Sciences Center 5 Hospital Drive Columbia, MO 65212, USA Phone: (573) 882-7272 Fax: (573) 884-7743

E-mail: ghadbanr@health.missouri.edu

Download English Version:

https://daneshyari.com/en/article/8668785

Download Persian Version:

https://daneshyari.com/article/8668785

<u>Daneshyari.com</u>