Accepted Manuscript

T-wave oversensing is more dependent on ICD sensitivity algorithm than lead sensing configuration


Anil H. Punjabi, Arlene Dermovsesian, Ankur A. Karnik

PII: S0022-0736(18)30171-7

DOI: doi:10.1016/j.jelectrocard.2018.05.010

Reference: YJELC 52629

To appear in:



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

T-wave oversensing is more dependent on ICD sensitivity algorithm than lead sensing configuration

Short title: Sensitivity algorithm responsible for T wave oversensing

Anil H. Punjabi, MD^a, Arlene Dermovsesian, NP^b and Ankur A. Karnik, MD, FHRS, FACC^b

^aCardiology Division, Department of Medicine, Boston Medical Center, Boston, Massachusetts

^bElectrophysiology and Arrhythmia Service, Cardiology Division, Department of Medicine, Boston Medical Center, Boston, Massachusetts

Corresponding Author:

Ankur A. Karnik, MD Electrophysiology and Arrhythmia Service Boston Medical Center Clinical Assistant Professor of Medicine Boston University School of Medicine 88 E. Newton Street, Boston, MA 02118

Phone: 617-638-8734 Fax: 617-638-8814

E-mail: ankur.karnik@bmc.org

Total word count: 2390

Declarations of Interest: None

Download English Version:

https://daneshyari.com/en/article/8668812

Download Persian Version:

https://daneshyari.com/article/8668812

<u>Daneshyari.com</u>