

Author's Accepted Manuscript

Outcome following heart transplantation from donation after circulatory determined death (DCD) donors

Simon Messer, Aravinda Page, Richard Axell, Marius Berman, Jules Hernández-Sánchez, Simon Colah, Barbora Parizkova, Kamen Valchanov, John Dunning, Evgeny Pavlushkov, Sendhil K Balasubramanian, Jayan Parameshwar, Yasir Abu Omar, Martin Goddard, Stephen Pettit, Clive Lewis, Anna Kydd, David Jenkins, Christopher J. Watson, Catherine Sudarshan, Pedro Catarino, Marie Findlay, Ayyaz Ali, Steven Tsui, Stephen R. Large



<http://www.jhltonline.org>

PII: S1053-2498(17)32087-9
DOI: <http://dx.doi.org/10.1016/j.healun.2017.10.021>
Reference: HEALUN6638

To appear in: *Journal of Heart and Lung Transplantation*

Cite this article as: Simon Messer, Aravinda Page, Richard Axell, Marius Berman, Jules Hernández-Sánchez, Simon Colah, Barbora Parizkova, Kamen Valchanov, John Dunning, Evgeny Pavlushkov, Sendhil K Balasubramanian, Jayan Parameshwar, Yasir Abu Omar, Martin Goddard, Stephen Pettit, Clive Lewis, Anna Kydd, David Jenkins, Christopher J. Watson, Catherine Sudarshan, Pedro Catarino, Marie Findlay, Ayyaz Ali, Steven Tsui and Stephen R. Large, Outcome following heart transplantation from donation after circulatory determined death (DCD) donors, *Journal of Heart and Lung Transplantation*, <http://dx.doi.org/10.1016/j.healun.2017.10.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Outcome Following Heart Transplantation from Donation After Circulatory Determined Death (DCD) Donors

Authors: Simon Messer¹, Aravinda Page¹, Richard Axell¹, Marius Berman¹, Jules Hernández-Sánchez^{2,3}, Simon Colah¹, Barbora Parizkova¹, Kamen Valchanov¹, John Dunning¹, Evgeny Pavlushkov¹, Sendhil K Balasubramanian¹, Jayan Parameshwar¹, Yasir Abu Omar¹, Martin Goddard¹, Stephen Pettit¹, Clive Lewis¹, Anna Kydd¹, David Jenkins¹, Christopher J. Watson⁴, Catherine Sudarshan¹, Pedro Catarino¹, Marie Findlay¹, Ayyaz Ali¹, Steven Tsui¹, Stephen R. Large¹

Department:

1. Department of Transplantation, Papworth Hospital NHS Foundation Trust, Papworth Everard, Cambridgeshire, United Kingdom, CB23 3RE
2. Papworth Trials Unit Collaboration, Papworth Hospital NHS Foundation Trust, Papworth Everard, Cambridgeshire, United Kingdom, CB23 3RE
3. MRC Biostatistics Unit, University of Cambridge, School of Clinical Medicine, Cambridge Institute of Public Health, Forvie Site, Robinson Way, Cambridge Biomedical Campus, Cambridge CB2 0SR
4. University of Cambridge Department of Surgery, Cambridge University Hospitals NHS Foundation Trust and the NIHR Cambridge Biomedical Center, Hills Road, Cambridge, United Kingdom, CB2 0QQ

Keywords: heart, transplant, circulatory death, normothermic regional perfusion

Address for Correspondence:

Mr Stephen Large
Department of Transplantation
Papworth Hospital NHS Foundation Trust
Papworth Everard, Cambridgeshire
United Kingdom
CB23 3RE
Phone: 00 44 1480 364 478
Fax: 00 44 1480 364 334
Email: s.large@nhs.net

Abstract

Background

The requirement for heart transplantation is increasing, vastly outgrowing the supply of hearts available from donation after brain death (DBD) donors. Transplanting hearts following donation after circulatory determined death (DCD) may be a viable additive alternative to DBD donors. In this study, outcomes from the largest single center experience of DCD heart transplantation were compared against matched DBD heart transplants.

Download English Version:

<https://daneshyari.com/en/article/8669654>

Download Persian Version:

<https://daneshyari.com/article/8669654>

[Daneshyari.com](https://daneshyari.com)