# Accepted Manuscript


Exercise increases circulating GDF15 in humans

Maximilian Kleinert, Christoffer Clemmensen, Kim A. Sjøberg, Christian Strini Carl, Jacob Fuglsbjerg Jeppesen, Jørgen F.P. Wojtaszewski, Bente Kiens, Erik A. Richter

PII: S2212-8778(17)30925-0

DOI: 10.1016/j.molmet.2017.12.016

Reference: MOLMET 599

To appear in: *Molecular Metabolism*

Received Date: 14 November 2017

Revised Date: 4 December 2017

Accepted Date: 6 December 2017

Please cite this article as: Kleinert M, Clemmensen C, Sjøberg KA, Carl CS, Jeppesen JF, Wojtaszewski JFP, Kiens B, Richter EA, Exercise increases circulating GDF15 in humans, *Molecular Metabolism* (2018), doi: 10.1016/j.molmet.2017.12.016.

# Exercise increases circulating GDF15 in humans

Maximilian Kleinert[1,2], Christoffer Clemmensen[3], Kim A. Sjøberg[1], Christian Strini Carl[1], Jacob Fuglsbjerg Jeppesen[4], Jørgen F.P. Wojtaszewski[1], Bente Kiens[1] and Erik A Richter[1,#]

[1]Section of Molecular Physiology, Department of Nutrition, Exercise and Sports, Faculty of Science, University of Copenhagen, 2200, Copenhagen, Denmark
[2]Institute for Diabetes and Obesity, Helmholtz Diabetes Center at Helmholtz Zentrum München, German Research Center for Environmental Health (GmbH), 85764 Neuherberg, Germany
[3]Novo Nordisk Foundation Center for Basic Metabolic Research, Faculty of Health and Medical Sciences, University of Copenhagen, Denmark
[4]Global Research, Novo Nordisk A/S, Maaloev, Denmark

[#]Corresponding Author

Running title: Exercise and GDF15

Keywords not in title: Skeletal Muscle; Growth Differentiation Factor 15; Recovery; and Physical Activity

Corresponding author:
Erik A. Richter, MD, DMSci, Section of Molecular Physiology, Department of Nutrition, Exercise and Sports, August Krogh Building, 13 Universitetsparken, DK-2100 Copenhagen, Denmark
Email: erichter@nexs.ku.dk
Telephone: +45 2875 1626