

Accepted Manuscript

Association of serum fibroblast growth factor 19 levels with visceral fat accumulation is independent of glucose tolerance status

Xiang Hu, MD, Qin Xiong, MD, Yiting Xu, MD, Xueli Zhang, MD, Xiaoping Pan, BS, Xiaojing Ma, PhD, MD, Yuqian Bao, MD, Weiping Jia, MD, PhD, Hu X, Xiong Q, Xu Y, Zhang X, Pan X, Ma X, Bao Y, Jia W

PII: S0939-4753(17)30236-3

DOI: [10.1016/j.numecd.2017.10.009](https://doi.org/10.1016/j.numecd.2017.10.009)

Reference: NUMECD 1791

To appear in: *Nutrition, Metabolism and Cardiovascular Diseases*


Received Date: 30 June 2017

Revised Date: 21 September 2017

Accepted Date: 10 October 2017

Please cite this article as: Hu X, MD Xiong Q, MD Xu Y, Zhang X, Pan X, Ma X, MD P, Bao Y, MD Jia W, X H, Q X, Y X, X Z, X P, X M, Y B, W J, Association of serum fibroblast growth factor 19 levels with visceral fat accumulation is independent of glucose tolerance status, *Nutrition, Metabolism and Cardiovascular Diseases* (2017), doi: 10.1016/j.numecd.2017.10.009.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Association of serum fibroblast growth factor 19 levels with visceral fat accumulation is independent of glucose tolerance status

Xiang Hu^{*}, MD, Qin Xiong^{*}, MD, Yiting Xu, MD, Xueli Zhang, MD, Xiaoping Pan, BS, Xiaojing Ma[#], MD, PhD, Yuqian Bao[#], MD, and Weiping Jia, MD, PhD

Hu X, Xiong Q, Xu Y, Zhang X, Pan X, Ma X, Bao Y, and Jia W

From the Department of Endocrinology and Metabolism, Shanghai Jiao Tong University Affiliated Sixth People's Hospital; Shanghai Clinical Center for Diabetes; Shanghai Key Clinical Center for Metabolic Disease; Shanghai Diabetes Institute; Shanghai Key Laboratory of Diabetes Mellitus, Shanghai 200233, China

^{*}These two authors contributed equally to this work.

[#]Correspondence should be addressed to Xiaojing Ma and Yuqian Bao.

Corresponding author and person to whom reprint requests should be addressed:

Xiaojing Ma and Yuqian Bao,

Department of Endocrinology and Metabolism, Shanghai Jiao Tong University Affiliated Sixth People's Hospital, 600 Yishan Road, Shanghai 200233, China.

Tel: 86-21-64369181;

Fax: 86-21-64368031

Email: maxiaojing@sjtu.edu.cn; yqbao@sjtu.edu.cn.

Word Counts: Abstract: 238 words; Text: 2962 words.

Number: Reference: 23; Table: 3; Figure: 1.

Download English Version:

<https://daneshyari.com/en/article/8674581>

Download Persian Version:

<https://daneshyari.com/article/8674581>

[Daneshyari.com](https://daneshyari.com)