

Accepted Manuscript

Comparison of the discriminatory accuracy of four risk criteria for preeclampsia

Hid Felizardo Cordero-Franco, Ana María Salinas-Martínez, Tania Abigail García-Alvarez, Gloria Estefanía Medina-Franco, Francisco Javier Guzmán-de la Garza, Oscar Díaz-Sánchez, Gerardo Ramírez-Sandoval


PII: S2210-7789(18)30040-0
DOI: <https://doi.org/10.1016/j.preghy.2018.06.007>
Reference: PREGHY 457

To appear in: *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*

Received Date: 12 February 2018
Revised Date: 13 April 2018
Accepted Date: 9 June 2018

Please cite this article as: Felizardo Cordero-Franco, H., María Salinas-Martínez, A., Abigail García-Alvarez, T., Estefanía Medina-Franco, G., Javier Guzmán-de la Garza, F., Díaz-Sánchez, O., Ramírez-Sandoval, G., Comparison of the discriminatory accuracy of four risk criteria for preeclampsia, *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health* (2018), doi: <https://doi.org/10.1016/j.preghy.2018.06.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



COMPARISON OF THE DISCRIMINATORY ACCURACY OF FOUR RISK

CRITERIA FOR PREECLAMPSIA

Hid Felizardo Cordero-Franco^{a,b*}, Ana María Salinas-Martínez^{a,c}, Tania Abigail García-Alvarez^d, Gloria Estefanía Medina-Franco^a, Francisco Javier Guzmán-de la Garza^{a,b}, Oscar Díaz-Sánchez^d, Gerardo Ramírez-Sandoval^d.

^aUnidad de Investigación Epidemiológica y en Servicios de Salud/CIBIN, Delegación Nuevo León, Instituto Mexicano del Seguro Social. Monterrey, Mexico.

^bUniversidad Autónoma de Nuevo León, Facultad de Medicina, Monterrey, Mexico.

^cUniversidad Autónoma de Nuevo León, Facultad de Salud Pública y Nutrición, Monterrey, Mexico.

^dUnidad de Medicina Familiar No. 31, Instituto Mexicano del Seguro Social, San Nicolás de los Garza, Mexico.

*Corresponding author:

Hid Felizardo Cordero-Franco, Conjunto Lincoln (Contiguo Servicio de Urgencias Hospital No. 34), María de Jesús Candia and Ave Lincoln s/n, Monterrey, Nuevo León, Mexico.

Zip code 64730.

Phone: (+5281) 1257-3125.

E-mail: dr_hid_cordero@hotmail.com

Abbreviations: WHO: World Health Organization; NICE: National Institute for Health and Care Excellence; ACOG: American College of Obstetricians and Gynecologists; CENETEC: National Center for Technological Excellence in Health; TP: true positives; FP: false positives; PPV: positive predictive value; NPV: negative predictive value; LR +: positive likelihood ratio; LR-: negative likelihood ratio; DOR: diagnostic odds ratio; AUROC: area under the receiver operating characteristics curve; 95% CI: 95% confidence interval; HRF: high risk factor; MRF: moderate risk factor; NTA: not taken into account as a risk factor; BMI: body mass index; SBP: systolic blood pressure DBP: diastolic blood pressure; MAP: mean arterial pressure.

Download English Version:

<https://daneshyari.com/en/article/8674949>

Download Persian Version:

<https://daneshyari.com/article/8674949>

[Daneshyari.com](https://daneshyari.com)