Accepted Manuscript

The effect of unmeasurable endogenous plasma factor activity levels on factor VIII dosing in patients with severe hemophilia A

A. McEneny-King, P. Chelle, A. Iorio, A.N. Edginton

PII:	S0049-3848(18)30452-3
DOI:	doi:10.1016/j.thromres.2018.08.004
Reference:	TR 7113
To appear in:	Thrombosis Research
Received date:	16 May 2018
Revised date:	1 August 2018
Accepted date:	8 August 2018

Please cite this article as: A. McEneny-King, P. Chelle, A. Iorio, A.N. Edginton, The effect of unmeasurable endogenous plasma factor activity levels on factor VIII dosing in patients with severe hemophilia A. Tr (2018), doi:10.1016/j.thromres.2018.08.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

The effect of unmeasurable endogenous plasma factor activity levels on factor VIII dosing in patients with severe hemophilia A

McEneny-King A¹

Chelle P¹

lorio A²

Edginton AN¹

¹ School of Pharmacy, University of Waterloo, Waterloo, Ontario, Canada

² Department of Health Evidence, Research Methods and Impact, McMaster University, Hamilton, Ontario, Canada; Department of Medicine, McMaster University, Hamilton Ontario, Canada

Corresponding Author

Andrea N. Edginton

School of Pharmacy, University of Waterloo

200 University Ave E

Waterloo, Ontario N2L 3G1

aedginto@uwaterloo.ca

+1 519 888 4567 x21315

Download English Version:

https://daneshyari.com/en/article/8679262

Download Persian Version:

https://daneshyari.com/article/8679262

Daneshyari.com