Accepted Manuscript

Differential sensitivity of von Willebrand factor activity assays to reduced VWF molecular weight forms: A large international cross-laboratory study

Emmanuel J. Favaloro, Roslyn Bonar, Martine J. Hollestelle, Ian Jennings, Soma Mohammed, Piet Meijer, Timothy Woods, Muriel Meiring

PII: S0049-3848(18)30320-7

DOI: doi:10.1016/j.thromres.2018.04.015

Reference: TR 7009

To appear in: Thrombosis Research

Received date: 18 December 2017
Revised date: 22 February 2018
Accepted date: 16 April 2018



Please cite this article as: Emmanuel J. Favaloro, Roslyn Bonar, Martine J. Hollestelle, Ian Jennings, Soma Mohammed, Piet Meijer, Timothy Woods, Muriel Meiring, Differential sensitivity of von Willebrand factor activity assays to reduced VWF molecular weight forms: A large international cross-laboratory study. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Tr(2017), doi:10.1016/j.thromres.2018.04.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

TR17 VWF activity vs HMW 20180222

TITLE: Differential sensitivity of von Willebrand factor activity assays to reduced VWF molecular weight forms: a large international cross-laboratory study.

AUTHORS:

Emmanuel J Favaloro,^{1,2} Roslyn Bonar,³ Martine J Hollestelle,⁴ Ian Jennings,⁵ Soma Mohammed,¹ Piet Meijer,⁴ Timothy Woods⁵, Muriel Meiring.⁶

- 1. Haematology, Institute of Clinical Pathology and Medical Research (ICPMR), NSW Health Pathology, Westmead Hospital, Westmead, NSW, Australia.
- 2. Sydney Centres for Thrombosis and Haemostasis, Westmead, NSW, Australia.
- 3. Royal College of Pathology of Australasia Quality Assurance Program (RCPAQAP) Haematology, St Leonards, NSW, Australia.
- 4. ECAT (External quality Control for Assays and Tests), The Netherlands.
- 5. UK NEQAS for Blood Coagulation, Sheffield, UK.
- 6. Department of Haematology and Cell Biology, University of the Free State and National Health Laboratory Services, Bloemfontein, South Africa.

Short title: VWF activity vs VWF size.

ADDRESS FOR CORRESPONDENCE:

Dr. E.J. Favaloro, Department of Haematology, Institute of Clinical Pathology and Medical Research (ICPMR), Westmead Hospital, Westmead, NSW, 2145, Australia.

(Fax: (612) 9689 2331; Phone: (612) 8890 6618; email: emmanuel.favaloro@ health.nsw.gov.au)

ABBREVIATIONS USED IN THIS PAPER:

ELISA, enzyme linked immunosorbent assay; GPIb, glycoprotein Ib; HMW, high molecular weight (VWF); NAC, N-acetycysteine; TTP, thrombotic thrombocytopenic purpura; VWF, von Willebrand factor; VWF:Ab, VWF activity assays based on the binding of a monoclonal antibody (MAB) to a VWF A1 domain epitope; VWF:Ag, VWF antigen (protein level); VWF:CB, VWF collagen binding; VWF:GPIbM, VWF activity assays based on spontaneous binding of VWF to a gain-of-function mutant GPIb fragment; VWF:GPIbR, VWF activity assays based on ristocetin-induced binding of VWF to a recombinant wild type GPIb fragment; VWF:RCo, VWF ristocetin cofactor; VWD, von Willebrand disease.

Manuscript contains: 5 figures; 2 tables; 27 references.

Word count: Abstract 249 words; Main text (excluding references, tables, figure legends): 3663 words

Disclosure: The authors state that they have no interest that might be perceived as posing a conflict or bias.

Download English Version:

https://daneshyari.com/en/article/8679383

Download Persian Version:

https://daneshyari.com/article/8679383

<u>Daneshyari.com</u>