

## Accepted Manuscript

The factor VIII heavy chain improves emicizumab-tenase assembly to enhance the factor VIII-mimicking cofactor activity

Hiroaki Minami, Keiji Nogami, Tetsuhiro Soeda, Takehisa Kitazawa, Kunihiro Hattori, Midori Shima



PII: S0049-3848(18)30321-9  
DOI: doi:[10.1016/j.thromres.2018.04.016](https://doi.org/10.1016/j.thromres.2018.04.016)  
Reference: TR 7010  
To appear in: *Thrombosis Research*  
Received date: 12 February 2018  
Revised date: 31 March 2018  
Accepted date: 16 April 2018

Please cite this article as: Hiroaki Minami, Keiji Nogami, Tetsuhiro Soeda, Takehisa Kitazawa, Kunihiro Hattori, Midori Shima , The factor VIII heavy chain improves emicizumab-tenase assembly to enhance the factor VIII-mimicking cofactor activity. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Tr*(2017), doi:[10.1016/j.thromres.2018.04.016](https://doi.org/10.1016/j.thromres.2018.04.016)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**The factor VIII heavy chain improves emicizumab-tenase assembly to enhance the factor VIII-mimicking cofactor activity**

Hiroaki Minami,<sup>\*</sup> Keiji Nogami,<sup>\*</sup> Tetsuhiro Soeda,<sup>†</sup> Takehisa Kitazawa,<sup>†</sup>  
Kunihiro Hattori,<sup>†</sup> Midori Shima<sup>\*</sup>

From the <sup>\*</sup>Department of Pediatrics, Nara Medical University, Kashihara, Nara 634-8522, Japan, <sup>†</sup>Research Division, Chugai Pharmaceutical Co., Ltd., Kamakura, Japan

**Running title:** Emicizumab-tenase with FVIII(a) subunit

**Manuscript type:** Letter to the Editors-in-Chief

**Support:** This work was partly supported by a Grant-in-Aid for Scientific Research (KAKENHI) from the Ministry of Education, Culture, Sports, Science and Technology (MEXT) to KN (Grant No. 15K09663).

**Statement of prior presentation:** An account of this work was presented at the 56<sup>th</sup> annual meeting of the American Society of Hematology, 2014, San Francisco, CA.

**Word counts:** Text; 1,499, Figure 1, Reference 10

**Keywords:** intrinsic tenase, FIXa, FX, FVIII, bispecific antibody

**Corresponding author:**

Keiji Nogami, M.D., Ph.D.,

Department of Pediatrics, Nara Medical University,

840 Shijo-cho, Kashihara, Nara 634-8522, Japan.

Tel: +81-744-29-8881; Fax: +81-744-24-9222;

E-mail: roc-noga@naramed-u.ac.jp

Download English Version:

<https://daneshyari.com/en/article/8679394>

Download Persian Version:

<https://daneshyari.com/article/8679394>

[Daneshyari.com](https://daneshyari.com)