


Accepted Manuscript

Title: Early versus delayed kyphoplasty for thoracolumbar osteoporotic vertebral fractures: the effect of timing on clinical and radiographic outcomes and subsequent compression fractures

Authors: Akihito Minamide, Takahiro Maeda, Hiroshi Yamada, Kimihide Murakami, Motohiro Okada, Yoshio Enyo, Yukihiro Nakagawa, Hiroshi Iwasaki, Shunji Tsutsui, Masanari Takami, Keiji Nagata, Hiroshi Hashizume, Yasutsugu Yukawa, Andrew J. Schoenfeld, Andrew K. Simpson



PII: S0303-8467(18)30306-8
DOI: <https://doi.org/10.1016/j.clineuro.2018.07.019>
Reference: CLINEU 5108

To appear in: *Clinical Neurology and Neurosurgery*

Received date: 10-6-2018
Revised date: 23-7-2018
Accepted date: 28-7-2018

Please cite this article as: Minamide A, Maeda T, Yamada H, Murakami K, Okada M, Enyo Y, Nakagawa Y, Iwasaki H, Tsutsui S, Takami M, Nagata K, Hashizume H, Yukawa Y, Schoenfeld AJ, Simpson AK, Early versus delayed kyphoplasty for thoracolumbar osteoporotic vertebral fractures: the effect of timing on clinical and radiographic outcomes and subsequent compression fractures, *Clinical Neurology and Neurosurgery* (2018), <https://doi.org/10.1016/j.clineuro.2018.07.019>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Early versus delayed kyphoplasty for thoracolumbar osteoporotic vertebral fractures:
the effect of timing on clinical and radiographic outcomes and subsequent compression
fractures**

Akihito Minamide, MD, PhD¹; Takahiro Maeda, MD¹; Hiroshi Yamada, MD, PhD¹; Kimihide Murakami¹, MD; Motohiro Okada, MD, PhD¹; Yoshio Enyo MD, PhD¹; Yukihiro Nakagawa, MD, PhD¹; Hiroshi Iwasaki, MD, PhD¹; Shunji Tsutsui, MD, PhD¹; Masanari Takami, MD, PhD¹; Keiji Nagata, MD, PhD¹; Hiroshi Hashizume, MD, PhD¹; Yasutsugu Yukawa, MD, PhD¹; Andrew J. Schoenfeld, MD, MSc²; Andrew K. Simpson, MD, MHS^{2,3}.

Affiliations:

From the ¹Department of Orthopaedic Surgery, Wakayama Medical University, Wakayama, Japan, ²Brigham and Women's Hospital, Harvard Medical School, Boston, MA, USA, ³Microendoscopic Spine Institute, Boston, MA, USA

Corresponding Author:

Akihito Minamide, MD, PhD

Department of Orthopaedic Surgery

Wakayama Medical University

811-1 Kimiidera, Wakayama City, Wakayama 641-8510, Japan

Phone: +81-73-441-0645 Fax: +81-73-448-3008

E-mail: minamide@wakayama-med.ac.jp

Download English Version:

<https://daneshyari.com/en/article/8681635>

Download Persian Version:

<https://daneshyari.com/article/8681635>

[Daneshyari.com](https://daneshyari.com)