


Accepted Manuscript

Title: Functional Magnetic Resonance Imaging under anaesthesia of a patient with severe chronic disorders of consciousness

Authors: Betty Wutzl, Axel Friedrich Unterrainer, Martin Kronbichler, Frank Rattay, Eugen Trinkka, Franz Gerstenbrand, Stefan Martin Golaszewski



PII: S0303-8467(18)30243-9
DOI: <https://doi.org/10.1016/j.clineuro.2018.06.029>
Reference: CLINEU 5072

To appear in: *Clinical Neurology and Neurosurgery*

Received date: 7-5-2018
Revised date: 11-6-2018
Accepted date: 26-6-2018

Please cite this article as: Wutzl B, Unterrainer AF, Kronbichler M, Rattay F, Trinkka E, Gerstenbrand F, Golaszewski SM, Functional Magnetic Resonance Imaging under anaesthesia of a patient with severe chronic disorders of consciousness, *Clinical Neurology and Neurosurgery* (2018), <https://doi.org/10.1016/j.clineuro.2018.06.029>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Functional Magnetic Resonance Imaging under anaesthesia of a patient with severe chronic disorders of consciousness

Betty Wutzl^{1,2,3*}, Axel Friedrich Unterrainer⁴, Martin Kronbichler^{5,6}, Frank Rattay², Eugen Trinka^{1,6,8}, Franz Gerstenbrand⁷, Stefan Martin Golaszewski^{1,8},

¹Department of Neurology, Paracelsus Medical University, Salzburg, Austria

²Institute for Analysis and Scientific Computing, Vienna University of Technology, Vienna, Austria

³Center for Information and Neural Networks, NICT and Osaka University, Suita, Japan

⁴Department of Neuroanaesthesiology, Paracelsus Medical University, Salzburg, Austria

⁵Neuroscience Institute, Paris Lodron University and Christian Doppler Clinic, Salzburg, Austria

⁶Centre for Cognitive Neuroscience, University of Salzburg, Austria;

⁷ Karl Landsteiner Institute for Neurorehabilitation and Space Neurology, Vienna, Austria

⁸Neuroscience Institute, Christian-Doppler-Klinik, Paracelsus Medical University, Salzburg, Austria

*Corresponding Author:

Betty Wutzl

Center for Information and Neural Networks

1-4 Yamadaoka, Suita, Osaka Prefecture 565-0871

JAPAN

b-wutzl@ist.osaka-u.ac.jp

Highlights

- fMRI is possible for patients with severe chronic disorders of consciousness under anaesthesia
- Brushing paradigm for fMRI shows results even under anaesthesia
- fMRI is possible for patient who normally cannot lie still

Download English Version:

<https://daneshyari.com/en/article/8681680>

Download Persian Version:

<https://daneshyari.com/article/8681680>

[Daneshyari.com](https://daneshyari.com)