Accepted Manuscript



Title: Is rivaroxaban associated with higher morbidity and mortality in patients with traumatic head injuries? A retrospective cohort study comparing rivaroxaban, no anticoagulation, and phenprocoumon

Authors: Thorsten Jentzsch, Rudolf M. Moos, Valentin Neuhaus, Kariem Hussein, Jan Farei-Campagna, Burkhardt Seifert, Hans-Peter Simmen, Clément M.L. Werner, Georg Osterhoff

PII: S0303-8467(18)30133-1
DOI: https://doi.org/10.1016/j.clineuro.2018.04.001
Reference: CLINEU 4984

To appear in: *Clinical Neurology and Neurosurgery*

Received date: 19-1-2018
Revised date: 29-3-2018
Accepted date: 1-4-2018

Please cite this article as: Jentzsch T, Moos RM, Neuhaus V, Hussein K, Farei-Campagna J, Seifert B, Simmen H-Peter, Werner CML, Osterhoff G, Is rivaroxaban associated with higher morbidity and mortality in patients with traumatic head injuries? A retrospective cohort study comparing rivaroxaban, no anticoagulation, and phenprocoumon, *Clinical Neurology and Neurosurgery* (2010), https://doi.org/10.1016/j.clineuro.2018.04.001

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Is rivaroxaban associated with higher morbidity and mortality in patients with traumatic head injuries? A retrospective cohort study comparing rivaroxaban, no anticoagulation, and phenprocoumon

Running title: Rivaroxaban and traumatic head injury

Thorsten Jentzsch[1, *], Rudolf M. Moos[2], Valentin Neuhaus[1], Kariem Hussein[3], Jan Farei-Campagna[1], Burkhardt Seifert[4], Hans-Peter Simmen[1], Clément M. L. Werner[1], Georg Osterhoff[1]

[1]Division of Trauma Surgery, Department of Surgery, University Hospital Zurich, University of Zurich, Zurich, Switzerland

[2]Medical Directorate, University Hospital Zurich, University of Zurich, Zurich, Switzerland

[3]University of Zurich, Zurich, Switzerland

[4]Department of Biostatistics, Epidemiology, Biostatistics and Prevention Institute, University of Zurich, Zurich, Switzerland

[*]Correspondence to: Thorsten Jentzsch, Dr. med., MSc Epidemiology, Department of Trauma, University Hospital Zurich, Ramistrasse 100, 8091 Zurich, Switzerland, telephone +41 (0) 44 255 27 55, fax +41 (0) 44 386 44 06, e-mails thorsten.jentzsch@balgrist.ch

Author's contributions: TJ: idea, conception and design, statistical analysis and interpretation of data, drafting the manuscript; RMM: acquisition of data; VN: ethical approval and interpretation of data; KH: acquisition and interpretation of data; JFC: acquisition and interpretation of data; BS: statistical analysis; HPS: ethical approval and interpretation of data; CW: interpretation of data; GO: idea, conception and design, interpretation of data; All: revision of the manuscript, final approval of the version to be published.

First names, last names, titles, positions, and email addresses of all authors: Thorsten Jentzsch, Dr. med., MSc Epidemiology, senior resident, thorsten.jentzsch@balgrist.ch; Rudolf M. Moos, Dr. med. Dipl.-Kfm., deputy head, rudolf.moos@usz.ch; Valentin Neuhaus, PD Dr. med., consultant, valentin.neuhaus@usz.ch; Kariem Hussein, cand. med., medical student, kariem.hussein@uzh.ch; Jan Farei-Campagna, pract. med., resident, jan.farei-campagna@balgrist.ch; Burkhardt Seifert, Prof. Dr. rer. nat, adjunct professor, seifert@ifspm.uzh.ch; Hans-Peter Simmen, Prof. em. Dr. med., em. chief, hans-peter.simmen@usz.ch; Clément M. L. Werner, Prof. Dr. med., eMBA, lead consultant, clement.werner@hirslanden.ch; Georg Osterhoff, PD Dr. med., consultant, georg.osterhoff@usz.ch

HIGHLIGHTS

- Potential association of new anticoagulants with morbidity or intracranial bleeding
- Retrospective cohort study (3 groups: rivaroxaban, no anticoagulant, phenprocoumon)
- No significant differences in morbidity or intracranial bleeding (n=69)

Download English Version:

https://daneshyari.com/en/article/8681805

Download Persian Version:

https://daneshyari.com/article/8681805

Daneshyari.com