
Accepted Manuscript

Title: Thyroid hormone resuscitation after brain death in potential organ donors: A primer for neurocritical care providers and narrative review of the literature

Authors: Ian A. Buchanan, Vivek A. Mehta



PII:	\$0303-8467(18)30004-0
DOI:	https://doi.org/10.1016/j.clineuro.2018.01.004
Reference:	CLINEU 4876
To appear in:	Clinical Neurology and Neurosurgery
Received date:	30-11-2017
Revised date:	3-1-2018
Accepted date:	7-1-2018

Please cite this article as: Buchanan IA, Mehta VA, Thyroid hormone resuscitation after brain death in potential organ donors: A primer for neurocritical care providers and narrative review of the literature, *Clinical Neurology and Neurosurgery* (2010), https://doi.org/10.1016/j.clineuro.2018.01.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Thyroid Hormone Resuscitation after Brain Death in Potential Organ Donors: A Primer for Neurocritical Care Providers and Narrative Review of the Literature

Running title: A Review of Thyroid Hormone Therapy in Organ Donation

Contributing Authors:

Ian A. Buchanan, MD¹ and Vivek A. Mehta, MD Department of Neurosurgery, University of Southern California Keck School of Medicine, Los Angeles, California

Corresponding Author:

¹ Ian A. Buchanan, MD ian.buchanan@med.usc.edu

Mailing Address:

1200 North State Street, Suite 3300 Los Angeles, CA, 90033 Phone: 323-226-7421 Fax: 323-336-7833

Highlights

- There is a shortage of solid organs available for transplantation and measures are needed to increase donor pools.
- Neurocritical care providers can influence pools as principal clinicians in stroke and TBI, leading causes of brain death.
- Every year a large proportion of organs is lost due to brain-dead donor hemodynamic instability.

Download English Version:

https://daneshyari.com/en/article/8681952

Download Persian Version:

https://daneshyari.com/article/8681952

Daneshyari.com