


Accepted Manuscript

Title: The Efficacy of Posterior Hemivertebra Resection with Lumbosacral Fixation and Fusion in the Treatment of Congenital Scoliosis: a more than 2-year follow-up study

Authors: Qiunan Lyu, Bowen Hu, Chunguang Zhou, Limin Liu, Yueming Song, Xi Yang, Liang Wang, Lei Wang



PII: S0303-8467(17)30338-4
DOI: <https://doi.org/10.1016/j.clineuro.2017.12.002>
Reference: CLINEU 4847

To appear in: *Clinical Neurology and Neurosurgery*

Received date: 6-9-2017
Revised date: 14-11-2017
Accepted date: 2-12-2017

Please cite this article as: Lyu Qiunan, Hu Bowen, Zhou Chunguang, Liu Limin, Song Yueming, Yang Xi, Wang Liang, Wang Lei. The Efficacy of Posterior Hemivertebra Resection with Lumbosacral Fixation and Fusion in the Treatment of Congenital Scoliosis: a more than 2-year follow-up study. *Clinical Neurology and Neurosurgery* <https://doi.org/10.1016/j.clineuro.2017.12.002>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: The Efficacy of Posterior Hemivertebra Resection with Lumbosacral Fixation and Fusion in the Treatment of Congenital Scoliosis: a more than 2-year follow-up study

Authors' full names: Qiunan Lyu, M.D.; Bowen Hu, M.D.; Chunguang Zhou, Ph.D.; Limin Liu, Ph.D.; Yueming Song*, Ph.D.; Xi Yang, M.D.; Liang Wang, M.D.; Lei Wang, Ph.D.;

Affiliation: Department of orthopedics surgery, West China Hospital, Sichuan University, China

First Author: Qiunan Lyu

Email: lvqiunan@qq.com.

Corresponding Author: Yueming Song.

Address: Department of orthopedics surgery, West China Hospital, Sichuan University, No. 37 GuoXue Road, Chengdu, Sichuan, 610041, China.

E-mail: sym_spine@163.com;

Tel: +86 028 85422430;

Fax: +86 028 85423326;

Highlights:

- Hemivertebrae located at the lumbosacral region often produce early trunk imbalance and long compensatory curves.
- Early posterior HV resection with short fusion can yield satisfactory outcomes in treating the type of hemivertebrae.

Download English Version:

<https://daneshyari.com/en/article/8682017>

Download Persian Version:

<https://daneshyari.com/article/8682017>

[Daneshyari.com](https://daneshyari.com)