


Accepted Manuscript

Title: Transcranial color-coded duplex sonography for Evaluation of Midline-shift After chronic-Subdural hematoma Evacuation (TEMASE): a prospective study.

Authors: Andrea Cattalani, Vincenzo Maria Grasso, Matteo Vitali, Ivan Gallesio, Lorenzo Magrassi, Andrea Barbanera



PII: S0303-8467(17)30261-5
DOI: <https://doi.org/10.1016/j.clineuro.2017.09.015>
Reference: CLINEU 4784

To appear in: *Clinical Neurology and Neurosurgery*

Received date: 4-9-2017
Revised date: 25-9-2017
Accepted date: 30-9-2017

Please cite this article as: Cattalani Andrea, Grasso Vincenzo Maria, Vitali Matteo, Gallesio Ivan, Magrassi Lorenzo, Barbanera Andrea. Transcranial color-coded duplex sonography for Evaluation of Midline-shift After chronic-Subdural hematoma Evacuation (TEMASE): a prospective study. *Clinical Neurology and Neurosurgery* <https://doi.org/10.1016/j.clineuro.2017.09.015>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Transcranial color-coded duplex sonography for Evaluation of Midline-shift After chronic-Subdural hematoma Evacuation (TEMASE): a prospective study.

Andrea Cattalani ^{a, b}, Vincenzo Maria Grasso ^b, Matteo Vitali ^b, Ivan Gallesio ^c, Lorenzo Magrassi ^{d*} and Andrea Barbanera ^b

a) Neurosurgical Training Program, Department of Clinical Surgical, Diagnostic and Pediatric Sciences, Neurosurgery, Università degli Studi di Pavia, Via Brambilla 74, 27100, Pavia, Italy.

b) Surgical Department, Neurosurgical Unit, Azienda Ospedaliera SS. Antonio e Biagio e Cesare Arrigo, Via Venezia 16, 15121, Alessandria, Italy.

c) Department of Radiology, Azienda ospedaliera SS Antonio e Biagio e C. Arrigo, Via Venezia 16, 15121, Alessandria, Italy.

d) Neurosurgery, Department of Clinical Surgical, Diagnostic and Pediatric Sciences, Fondazione IRCCS Policlinico S.Matteo, v.le Golgi 19, 27100 Pavia, Italy.

* A.Barbanera and L.Magrassi should equally be considered last author

Corresponding author:

Andrea Barbanera, MD

Surgical Department, Neurosurgical Unit, Azienda Ospedaliera SS. Antonio e Biagio e Cesare Arrigo

Via Venezia 16, 15121, Alessandria, Italy.

+393384439901

e-mail: andrea.barbanera@libero.it , andrea.barbanera69@gmail.com

Highlights

- - Midline shift is an accepted risk prognostic factor for chronic Subdural hematoma recurrence
- - Transcranial sonography returns midline shift values comparable to computed tomography
- - Transcranial sonography may be introduced in the postoperative management of chronic Subdural hematoma

Abstract

Objective

Download English Version:

<https://daneshyari.com/en/article/8682073>

Download Persian Version:

<https://daneshyari.com/article/8682073>

[Daneshyari.com](https://daneshyari.com)