


## Accepted Manuscript

Visually validated semi-automatic high-frequency oscillation detection aides the delineation of epileptogenic regions during intra-operative electrocorticography

Shennan Aibel Weiss, Brent Berry, Inna Chervoneva, Zachary Waldman, Jonathan Guba, Mark Bower, Michal Kucewicz, Benjamin Brinkmann, Vaclav Kremen, Fatemeh Khadjevand, Yogatheesan Varatharajah, Hari Guragain, Ashwini Sharan, Chengyuan Wu, Richard Staba, Jerome Engel Jr, Michael Sperling, Gregory Worrell



PII: S1388-2457(18)31156-8  
DOI: <https://doi.org/10.1016/j.clinph.2018.06.030>  
Reference: CLINPH 2008599

To appear in: *Clinical Neurophysiology*

Received Date: 1 April 2018  
Revised Date: 13 June 2018  
Accepted Date: 28 June 2018

Please cite this article as: Aibel Weiss, S., Berry, B., Chervoneva, I., Waldman, Z., Guba, J., Bower, M., Kucewicz, M., Brinkmann, B., Kremen, V., Khadjevand, F., Varatharajah, Y., Guragain, H., Sharan, A., Wu, C., Staba, R., Engel, J. Jr, Sperling, M., Worrell, G., Visually validated semi-automatic high-frequency oscillation detection aides the delineation of epileptogenic regions during intra-operative electrocorticography, *Clinical Neurophysiology* (2018), doi: <https://doi.org/10.1016/j.clinph.2018.06.030>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Visually validated semi-automatic high-frequency oscillation detection aides the delineation of epileptogenic regions during intra-operative electrocorticography

Shennan Aibel Weiss<sup>1</sup>, Brent Berry<sup>6,7</sup>, Inna Chervoneva<sup>2</sup>, Zachary Waldman<sup>1</sup>, Jonathan Guba<sup>1</sup>, Mark Bower<sup>6,7</sup>, Michal Kucewicz<sup>6,7</sup>, Benjamin Brinkmann<sup>6,7</sup>, Vaclav Kremen<sup>6,7</sup>, Fatemeh Khadjevand<sup>6,7</sup>, Yogatheesan Varatharajah<sup>6,7</sup>, Hari Guragain<sup>6,7</sup>, Ashwini Sharan<sup>4</sup>, Chengyuan Wu<sup>4</sup>, Richard Staba<sup>5</sup>, Jerome Engel Jr<sup>5</sup>, Michael Sperling<sup>3</sup>, Gregory Worrell<sup>6,7</sup>

1. Dept. of Neurology and Neuroscience, 2. Dept. of Pharmacology & Experimental Therapeutics, 3. Dept. of Neurology, 4. Dept. of Neurosurgery, Thomas Jefferson University, Philadelphia, Pennsylvania, USA 19107. 5. Dept. of Neurology, University of California Los Angeles, Los Angeles, California, USA 90095. 6. Department of Neurology, Mayo Systems Electrophysiology Laboratory (MSEL). 7. Department of Physiology and Biomedical Engineering, Mayo Clinic, Rochester MN USA 55905.

### Corresponding Author:

Dr. Shennan A. Weiss  
901 Walnut Street, PA 19107, USA  
Suite 400  
Phone: +1-215-503-7960  
Email: [Shennan.Weiss@jefferson.edu](mailto:Shennan.Weiss@jefferson.edu)

**Key Words:** high-frequency oscillation, ripple, fast ripple, electrocorticography.

Download English Version:

<https://daneshyari.com/en/article/8682101>

Download Persian Version:

<https://daneshyari.com/article/8682101>

[Daneshyari.com](https://daneshyari.com)