
Accepted Manuscript

Investigating the Effects of Visual Distractors on the Performance of a Motor Imagery Brain-Computer Interface

Zahra Emami, Tom Chau

PII: DOI: Reference:	S1388-2457(18)30269-4 https://doi.org/10.1016/j.clinph.2018.03.015 CLINPH 2008475
To appear in:	Clinical Neurophysiology
Accepted Date:	11 March 2018



Please cite this article as: Emami, Z., Chau, T., Investigating the Effects of Visual Distractors on the Performance of a Motor Imagery Brain-Computer Interface, *Clinical Neurophysiology* (2018), doi: https://doi.org/10.1016/j.clinph.2018.03.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Investigating the Effects of Visual Distractors on the Performance of a Motor Imagery Brain-Computer Interface

Zahra Emami $^{1,\,*}$ and Tom $\mathrm{Chau}^{1,\,2}$

¹Bloorview Research Institute, Holland Bloorview Kids Rehabilitation Hospital, Toronto, ON, Canada, ² Institute of Biomaterials and Biomedical Engineering, University of Toronto, Toronto, ON, Canada

SCR

* Corresponding author. *E-mail address:* <u>zahra.emami@mail.utoronto.ca</u>

Highlights

- Transient, visual distractors have a significant effect on motor imagery-related neural activity.
- For most participants, the BCI performance was robust to these small distractors effects.
- A mean online classification accuracy of 78% was attained for distractor trials across participants.

Abstract

Objectives: Brain-computer interfaces (BCIs) allow users to operate a device or application by means of cognitive activity. This technology will ultimately be used in real-world environments which include the presence of distractors. The purpose of the study was to determine the effect of visual distractors on BCI performance.

Methods: Sixteen able-bodied participants underwent neurofeedback training to achieve motor imagery-guided BCI control in an online paradigm using electroencephalography (EEG) to measure neural signals. Participants then completed two sessions of the motor imagery EEG-BCI protocol in the presence of infrequent, small visual distractors. BCI performance was determined based on classification accuracy.

Results: The presence of distractors was found to affect motor imagery-specific patterns in mu and beta power. However, the distractors did not significantly affect the BCI classification accuracy; across participants, the mean classification accuracy was $81.5 \pm 14\%$ for non-distractor trials, and $78.3 \pm 17\%$ for distractor trials.

Download English Version:

https://daneshyari.com/en/article/8682353

Download Persian Version:

https://daneshyari.com/article/8682353

Daneshyari.com